

Cementex

The Safety Tool Specialists

Wrenches

Adjustable Wrenches



- Wide capacity jaw allows each tool to work with more fastener sizes
- Wider handle provides more comfort and less stress to the hand
- Tension spring stabilizes jaw and allows easy adjustment of knurled adjustment knob
- Alloy steel and heat treated
- Proportioned dimensions for greatest strength and minimum weight
- Fully insulated adjustable wrench with NO exposed metal for complete 1000V Protection

Fully Insulated 1000V Rated

This innovative, patent-pending design is only available from Cementex. It utilizes a non-conductive adjustment knob for ultimate safe operation.

PN	DESC
AW-6FI.....	6" OAL - .94" Opening
AW-8FI.....	8" OAL - 1.13" Opening
AW-10FI.....	10" OAL - 1.31" Opening
AW-10FI-ST.	10" With Loop
AW-12FI.....	12" OAL - 1.56" Opening
AW-15FI.....	15" OAL - 1.75" Opening

Insulated 1000V Rated

*Ensure tool is at a safe distance from any energized equipment before making size adjustments

PN	DESC
AW-4I.....	4" OAL - .69" Opening
AW-6I.....	6" OAL - .94" Opening
AW-6I-C..	6" Chrome
AW-8I.....	8" OAL - 1.13" Opening
AW-8I-C..	8" Chrome
AW-10I.....	10" OAL - 1.31" Opening
AW-10I-C..	10" Chrome
AW-12I.....	12" OAL - 1.56" Opening
AW-12I-C..	12" Chrome
AW-15I.....	15" OAL - 1.75" Opening
AW-15I-C..	15" Chrome

Insulated Non-Voltage Rated

*NOT A VOLTAGE RATED TOOL

PN	DESC
AW-4.....	4" OAL - .69" Opening
AW-6.....	6" OAL - .94" Opening
AW-6-C...	6" Chrome
AW-8.....	8" OAL - 1.13" Opening
AW-8-C...	8" Chrome
AW-10.....	10" OAL - 1.31" Opening
AW-10-C..	10" Chrome
AW-12.....	12" OAL - 1.56" Opening
AW-12-C..	12" Chrome
AW-15.....	15" OAL - 1.75" Opening
AW-15-C..	15" Chrome



AW-10FI



AW-10I



AW-10

RATED 1000 VAC / 1500 VDC
Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

Single End Ratcheting Box Wrenches



Full polish finish provides corrosion resistance and an easy-to-clean surface, while built in retaining ring in each ratchet wheel adds speed and convenience for great accessibility. Shorter length for access to confined workspaces. The wrench self-aligns with the fastener.

Offset Wrenches

45° offset for greater access to confined workspaces.

PN _____ DESC_

ROBWSE-08..... 1/4"
ROBWSE-10..... 5/16"
ROBWSE-12..... 3/8"
ROBWSE-14..... 7/16"
ROBWSE-16..... 1/2"
ROBWSE-18..... 9/16"
ROBWSE-20..... 5/8"
ROBWSE-22..... 11/16"
ROBWSE-24..... 3/4"
ROBWSE-28..... 7/8"



ROBWSE-24

Straight Wrenches

PN _____ DESC_

RBWSE-08..... 1/4"
RBWSE-10..... 5/16"
RBWSE-12..... 3/8"
RBWSE-14..... 7/16"
RBWSE-16..... 1/2"
RBWSE-18..... 9/16"
RBWSE-20..... 5/8"
RBWSE-22..... 11/16"
RBWSE-24..... 3/4"
RBWSE-28..... 7/8"



RBWSE-28

One Hander Wrench



One Hand Wrenches feature a strong, forged steel, one-piece handle. Spring-loaded jaws grip any shape: meter nuts, round pipe, or parts of fittings without adjustment. One Hand Wrenches work like a pipe wrench and provide better grip than pliers due to the jaws and tooth direction. Securely and immediately tighten and loosen without removing the wrench from pipe.

***NOT A VOLTAGE RATED TOOL**

PN _____ DESC_

OHW-08... 8"
OHW-10..... 10"
OHW-12..... 12"



OHW-10

Pipe Wrenches



- Oh Yes - We even have these
- Premium quality Rothenberger base tool with bump protection

***NOT A VOLTAGE RATED TOOL**

PN _____ DESC_

8PW..... 8"
10PW..... 10"
12PW..... 12"



12PW

Ratcheting Wrenches



Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

▲ **RATED**
1000 VAC ⚡ 1500 VDC

Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts



-



OEW-22

IOEWS-8**IOEWS-11M**

PN_____DESC

IOEWS-6.....	3/8"	7/16"	1/2"	9/16"	5/8"	3/4"						Wrench Roll Pouch 8		
IOEWS-8.....	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"				Wrench Roll Pouch 8		
IOEWS-11.....	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"	5/16"	1"	Wrench Roll Pouch 11		
IOEWS-13.....	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"	15/16"	1"	Wrench Roll Pouch 11
IOEWS-14.....	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"	15/16"	1"	1-1/16"	1-1/8"	1-1/4"

22

Ratcheting Box End Wrenches



The secure hold and size benefits of the Cementex Box End Wrenches with the added features of a ratcheting head. Precision ratcheting head is guaranteed to withstand your heavy work load while saving valuable time.

- Classic design slightly larger than a standard box end wrench
- Slender head allows access to tight locations
- Wide range of sizes and length
- Reverse direction by flipping sides
- Cementex double layer insulation system utilizing superior material and processes to provide the safest insulated tools.



IGRBWS-8



IGRBWS-11

IGW-24

PN_____DESC_	PN_____DESC_
IGW-08..... 1/4"	IGW-06M..... 6mm
IGW-10..... 5/16"	IGW-07M..... 7mm
IGW-12..... 3/8"	IGW-08M..... 8mm
IGW-14..... 7/16"	IGW-09M..... 9mm
IGW-16..... 1/2"	IGW-10M..... 10mm
IGW-18..... 9/16"	IGW-11M..... 11mm
IGW-20..... 5/8"	IGW-12M..... 12mm
IGW-22..... 11/16"	IGW-13M..... 13mm
IGW-24..... 3/4"	IGW-14M..... 14mm
IGW-26..... 13/16"	IGW-15M..... 15mm
IGW-28..... 7/8"	IGW-16M..... 16mm
IGW-30..... 15/16"	IGW-17M..... 17mm
IGW-32..... 1"	IGW-18M..... 18mm
IGW-34..... 1-1/16"	IGW-19M..... 19mm
IGW-36..... 1-1/8"	IGW-20M..... 20mm
IGW-40..... 1-1/4"	IGW-21M..... 21mm
	IGW-22M..... 22mm
	IGW-23M..... 23mm
	IGW-24M..... 24mm
	IGW-25M..... 25mm
	IGW-27M..... 27mm
	IGW-30M..... 30mm
	IGW-32M..... 32mm

Ratcheting Box End Wrench Sets

PN	DESC																	
IGRBWS-8.....	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"							Wrench Roll Pouch 8			
IGRBWS-9.....	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"							Wrench Roll Pouch 8		
IGRBWS-11.....	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"	15/16"	1"				Wrench Roll Pouch 11			
IGRBWS-13.....	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"	15/16"	1"			Wrench Roll Pouch 13		
IGRBWS-16.....	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"	15/16"	1"	1-1/16"	1-1/8"	1-1/4"	Wrench Roll Pouch 13	
IGRBWS-8M.....		10	11	12		14		16		18	19	20				Wrench Roll Pouch 8		
IGRBWS-11M.....		9	10	11	12	13	14	15	16	17	18	19				Wrench Roll Pouch 11		
IGRBWS-15M.....	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21			Wrench Roll Pouch 13

Hex Wrenches

- Hardened American Steel
- Cementex double layer insulation system utilizing superior material and processes to provide the safest insulated tools.



SAE

SIZE	"L"	XL ARM "L"	6" T-HANDLE	9" T-HANDLE	14" T-HANDLE
1/16"	IHW-116	IHW-116L	IHK-116	-	-
5/64"	IHW-564	IHW-564L	IHK-564	-	-
3/32"	IHW-332	IHW-332L	IHK-332	-	-
7/64"	IHW-764	IHW-764L	IHK-764	-	-
1/8"	IHW-180	IHW-180L	IHK-180	-	-
9/64"	IHW-964	IHW-964L	IHK-964	-	-
5/32"	IHW-532	IHW-532L	IHK-532	-	-
3/16"	IHW-316	IHW-316L	IHK-316	IHK-316L	IHK-316XL
7/32"	IHW-732	IHW-732L	IHK-732	IHK-732L	IHK-732XL
1/4"	IHW-140	IHW-140L	IHK-140	IHK-140L	IHK-140XL
5/16"	IHW-516	IHW-516L	IHK-516	IHK-516L	IHK-516XL
3/8"	IHW-380	IHW-380L	IHK-380	IHK-380L	IHK-380XL
7/16"	IHW-716	IHW-716L	IHK-716	IHK-716L	IHK-716XL
1/2"	IHW-120	IHW-120L	IHK-120	IHK-120L	IHK-120L
9/16"	IHW-916	IHW-916L	IHK-916	IHK-916L	IHK-916XL
5/8"	IHW-580	IHW-580L	IHK-580	IHK-580L	IHK-580XL
3/4"	IHW-340	IHW-340L	IHK-340	-	-



IHW-716

Metric

SIZE	"L"	Short Arm "L"	6" T-HANDLE
.9mm	IHW-.9M	IHW-.9M-SA	IHK-.9M
1.5mm	IHW-1.5M	IHW-1.5M-SA	IHK-1.5M
2mm	IHW-2M	IHW-2M-SA	IHK-2M
2.5mm	IHW-2.5M	IHW-2.5M-SA	IHK-2.5M
3mm	IHW-3M	IHW-3M-SA	IHK-3M
3.5mm	IHW-3.5M	IHW-3.5M-SA	IHK-3.5M
4mm	IHW-4M	IHW-4M-SA	IHK-4M
5mm	IHW-5M	IHW-5M-SA	IHK-5M
5.5mm	IHW-5.5M	IHW-5.5M-SA	IHK-5.5M
6mm	IHW-6M	IHW-6M-SA	IHK-6M
7mm	IHW-7M	IHW-7M-SA	IHK-7M
8mm	IHW-8M	IHW-8M-SA	IHK-8M
9mm	IHW-9M	IHW-9M-SA	IHK-9M
10mm	IHW-10M	IHW-10M-SA	IHK-10M
11mm	IHW-11M	IHW-11M-SA	IHK-11M
12mm	IHW-12M	IHW-12M-SA	IHK-12M
13mm	IHW-13M	IHW-13M-SA	IHK-13M
14mm	IHW-14M	IHW-14M-SA	IHK-14M
17mm	IHW-17M	IHW-17M-SA	IHK-17M
19mm	IHW-19M	IHW-19M-SA	IHK-19M
22mm	IHW-22M	IHW-22M-SA	IHK-22M
24mm	IHW-24M	IHW-24M-SA	IHK-24M

T-Handle: Solid Core handle provides superior grip and rigid construction limiting twisting and flexing, and distributing pressure evenly throughout gloved hand.



IHK-716

IHK-716L

UL 1571
1000 VAC 1500 VDC



HWS-14L

MHWS-8LA



Hex Key Pocket Pouch

PN	DESC																																			
HWS-7L.....	5/64"		3/32"					1/8"		5/32"		3/16"		7/32"		1/4"																				
HWS-8L.....							1/8"				3/16"		7/32"		1/4"		5/16"		3/8"		7/16"		1/2"													
HWS-10L.....	1/16"		5/64"		3/32"					1/8"		5/32"		3/16"		7/32"		1/4"		5/16"		3/8"														
HWS-14L.....	1/16"		5/64"		3/32"		7/64"		1/8"		9/64"		5/32"		3/16"		7/32"		1/4"		5/16"		3/8"		7/16"		1/2"									
HWS-16L.....	1/16"		5/64"		3/32"		7/64"		1/8"		9/64"		5/32"		3/16"		7/32"		1/4"		5/16"		3/8"		7/16"		1/2"		9/16"		5/8"					
MHWS-8LA...							4					7		8		9		10		11		12		14												
MHWS-9L.....	1.5		2		2.5		3		4		5		6					8					10													
MHWS-10L...	1.5		2		2.5		3		4		5		6					8		9		10														
MHWS-11L.....	1.5		2		2.5		3		4		5		6					8					10		11		12									
MHWS-12L.....	1.5		2		2.5		3		4		5		6					8					10					12		14		17				
MHWS-13L.....	1.5		2		2.5		3		4		5		6		7		8		9		10		11		12											
MHWS-14L.....	1.5		2					3		4		5		6		7		8		9		10					12		14		17					
MHWS-18L.....	1.5		2		2.5		3		4		5		6		7		8		9		10		11		12		14		17		19		22		24	

All Sets include a Hex Key Pocket Pouch

Hex T-Handle Wrench Sets

Multiple shaft lengths and a range of combinations sure to meet your requirements. Ask your Cementex dealer or representative about adding one of these kits to your collection of tools or adding individual T-Handles to your custom kit.



Hex T-Handle Wrench Sets

RATED
1000 VAC / 1500 VDC

Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts



HKS-8T916



HKS-8TL916XL



T-Handle Bag - Long



T-Handle Bag - Standard



MHKS-10T

PN _____ 6" T-Handle Wrenches

PN	5/64"	3/32"	1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	T-Handle Bag
HKS-3T120.....	5/64"														T-Handle Bag - Standard
HKS-6T.....		5/32"	3/16"	7/32"	1/4"	5/16"	3/8"								T-Handle Bag - Standard
HKS-6T380.....		5/32"	3/16"	7/32"	1/4"	5/16"	3/8"								T-Handle Bag - Standard
HKS-8T380.....	1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"							T-Handle Bag - Long
HKS-8T916.....	1/8"			3/16"		1/4"	5/16"	3/8"	7/16"	1/2"	9/16"				T-Handle Bag - Standard
HKS-10T120.....	1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"	7/16"	1/2"					T-Handle Bag - Standard
HKS-10T380.....	3/32"	7/64"	1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"					T-Handle Bag - Standard
HKS-11T380.....	5/64"	3/32"	7/64"	1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"				T-Handle Bag - Long
HKS-11T916.....		1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"			T-Handle Bag - Standard
HKS-12T120.....	3/32"	7/64"	1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"	7/16"	1/2"			T-Handle Bag - Standard
HKS-13T120.....	5/64"	3/32"	7/64"	1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"	7/16"	1/2"		T-Handle Bag - Long
HKS-13T916.....	3/32"	7/64"	1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"		T-Handle Bag - Standard
HKS-14T580.....	3/32"	7/64"	1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	T-Handle Bag - Long

PN _____ 9" T-Handle Wrenches

HKS-8TL380XL.....	1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"							T-Handle Bag - Long
HKS-8TL916XL.....	1/8"			3/16"		1/4"	5/16"	3/8"	7/16"	1/2"	9/16"				T-Handle Bag - Long
HKS-10TL120XL.....	1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"	7/16"	1/2"					T-Handle Bag - Long
HKS-10TL380XL.....	3/32"	7/64"	1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"					T-Handle Bag - Long
HKS-11TL916XL.....	1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"				T-Handle Bag - Long
HKS-12TL120XL.....	3/32"	7/64"	1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"	7/16"	1/2"			T-Handle Bag - Long
HKS-14T580XL.....	3/32"	7/64"	1/8"	9/64"	5/32"	3/16"	7/32"	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	T-Handle Bag - Long

PN _____ Metric 6" T-Handle Wrenches

PN	4	5	6	8	10	12	15	18	22	25	T-Handle Bag
MHKS-4T.....											Small Pocket Pouch
MHKS-8T.....	2	3	4	5	6	8	9	10			T-Handle Bag - Long
MHKS-9T.....	2	3	4	5	6	7	8	9	10		T-Handle Bag - Long
MHKS-10T.....	2	2.5	3	4	5	6	7	8	9	10	T-Handle Bag - Long