

Cementex

Insulating Technology

Cementex has spent over 50 years perfecting the insulation of hand tools. We've developed our own proprietary insulation material that provides the safest, most durable insulation for your protection. Painstaking attention to detail is part of our process; ensuring every tool is of the highest level of quality when it leaves our factory in Burlington, NJ. Each tool is individually inspected, tested and guaranteed to be manufactured to the level you deserve.




▲ RATED
1000 VAC ⚡ 1500 VDC
LIFETIME MECHANICAL WARRANTY*
2 YEAR INSULATION WARRANTY*

Composite Technology

While we've spent a long time perfecting an insulating coating, we are continuously developing new technologies to improve safety, durability, and usability. This pursuit is evident in our Composite Driver Tools. By eliminating 95% of all conductive material and utilizing cutting edge technology, we have created drivers that are strong, light-weight, durable, and most importantly, safe.

▲ RATED
1000 VAC ⚡ 1500 VDC
LIFETIME WARRANTY*



Limited Lifetime Warranty

Our commitment to quality enables us to offer an unparalleled warranty. The Cementex Limited Lifetime Warranty guarantees the mechanical parts of the tools for life, provided they are used for the purpose for which they are intended.

Insulation is guaranteed to be free from defects in material and workmanship for a period of two (2) years from the date of the shipment. Insulation is guaranteed to pass a 10,000 VAC proof test in accordance with applicable U.S. and International Standards and rated for application to 1000 VAC / 1500 VDC.

Prior to each use, each insulated tool is to be inspected for cuts, cracks, or other damage. If the yellow insulation becomes visible through the orange outer layer, the tool is not repairable and must be removed from service immediately. Insulated tools are to be used as secondary protection and are not meant to be used in place of other personal protective equipment. Cuts, cracks, or other damage to the tool insulation caused by usage of the tool is not covered under warranty.

Torque Wrench repairs are covered by warranty so long as the torque wrench is within its annual calibration timeframe.



Insulated Hand Tools - Where and When

“OSHA - Electrical, Safeguards for personal protection 1910.335(a)(2)(i)

When working near exposed energized conductors or circuit parts, each employee shall use insulated tools or handling equipment if the tools or handling equipment might make contact with such conductors or parts...”

“2012 Edition NFPA 70E® STANDARD for Electrical Safety in the Workplace® 130.7(D)(1) Insulated Tools and Equipment.

Employees shall use insulated tools or handling equipment, or both, when working inside the **limited approach boundary** of exposed energized electrical conductors or circuit parts where tools or handling equipment might make accidental contact...”

“def. Boundary, Limited Approach

An approach limit at a distance from an exposed energized electrical conductor or circuit part within which a shock hazard exists.”

ex. *Limited Approach Boundary

Exposed Fixed conductors

50V - 750V AC = 3ft 6in

100V - 1kV DC = 3ft 6in



Cementex has the tools available to help you comply with the stringent standards established by OSHA, NFPA, and CSA. Knowledge, experience, and commitment to quality make Cementex the trusted source for safety tools and equipment.

*2012 NFPA 70E® Tables 130.4 (C)(a), 130.4(C)(b)

Cabinet Tip Screwdrivers

- Slender Insulation at Slotted Tip
- Cushion Grip (CG) handle for greater comfort and torque
- Plating for corrosion resistance
- Internal Flanges in handle provide solid, twist-resistant blade



Composite	
PN	DESC
CM2-3.....	1/8" X 3"
CM2-6.....	1/8" X 6"
CMC5-CG....	3/16" X 5"
CMC6-CG....	3/16" X 6"
CM4-CG.....	1/4" X 4-1/2"
CM6-CGC....	1/4" X 6"

PN	DESC
M332X2.....	3/32 X 2"
M180F.....	1/8" X Mini
M2.....	1/8" X 2"
M2L.....	1/8" X 3-3/4"
M2L-CG.....	1/8" X 3-3/4"
M2XL.....	1/8" X 6"
M3L.....	1/8" X 3"
MC4P-CG....	3/16" X 4"
MC6P-CG....	3/16" X 6"
MC8P-CG....	3/16" X 8"
M3L-3.....	3/16" X 8"
MC10P-CG...	3/16" X 10"
M1-SBY.....	1/4" X 1"
M4-CG.....	1/4" X 4"
M6-CG.....	1/4" X 6"
YM6.....	1/4" X 6"
M6-CG-ST...	1/4" X 6" with Loop
M8-CG.....	1/4" X 8"



CM2-3



M2



M4-CG

Offset	
PN	DESC
OSSD-S146.....	1/4" X 6"
OSSD-S1420-CG..	1/4" X 20"

Mechanic Tip Screwdrivers



- Slender Insulation at Slotted Tip
- Cushion Grip (CG) handle for greater comfort and torque
- Plating for corrosion resistance
- Internal Flanges in handle provide solid, twist-resistant blade



Y6-CG

Composite	
PN	DESC
C516-6CG.....	5/16" X 6"
CM516-6CG...	5/16" X 6"
C38-6CG.....	3/8" X 6"

PN	DESC
Y1P-Stubby..	7/32" X 3/4"
Y1-CG.....	7/32" X 1.75"
Y3-CG.....	7/32" X 3.25"
Y4-CG.....	1/4" X 4"
Y6-CG.....	5/16" X 6"
Y8-CG.....	3/8" X 8"
Y10-CG.....	3/8" X 10"
Y12-CG.....	3/8" X 12"

Torx Tip Screwdrivers



- Cushion Grip handle for greater comfort and torque
- Plating for corrosion resistance
- Internal Flanges in handle provide solid, twist-resistant blade



T15

PN	DESC
T10....	T10 X 3"
T15....	T15 X 3"
T20...	T20 X 3"
T27....	T27 X 3"
T30...	T30 X 3"
T40...	T40 X 3"

Hex Ball Tip Screwdrivers



- Cushion Grip handle for greater comfort and torque
- Plating for corrosion resistance
- Internal Flanges in handle provide solid, twist-resistant blade



BD100

PN	DESC
BD100....	3/16" X 6"
BD200...	1/4" X 6"
BD300...	5/16" X 6"

Phillips Tip Screwdrivers

PN	DESC
P00-6	#00 X 6"
MP0	#0 X 3" Mini
P0-2	#0 X 2"
P0-2.5	#0 X 2-1/2"
P0-3.5	#0 X 3-1/2"
P0-6	#0 X 6"
P1-3-CG	#1 X 3"
P1-6-CG	#1 X 6"
P2-SBY	#2 X 1/2"
P2-1-CG	#2 X 1"
P2-1-STUBBY	#2 X 1"
P2-4-CG	#2 X 4"
M2PL	#2 X 4"
P2-6-CG	#2 X 6"
P2-8-CG	#2 X 8"
P2-12-CG	#2 X 12"
P3-6-CG	#3 X 6"
P4-8-CG	#4 X 8"

Composite

PN	DESC
CPI-3-CG	#1 X 3"
CPI-5CG	#1 X 5"
CP2-4CG	#2 X 4"
CP2-6CG	#2 X 6"
CP3-6CG	#3 X 6"

- Slender insulation at tip for access to tight spaces
- Cushion Grip (CG) handle for greater comfort and torque
- Plating for corrosion resistance
- Internal Flanges in handle provide solid, twist-resistant blade



Offset

PN	DESC
OSSD-P26	#2 X 6"
OSSD-P36	#3 X 6"

P0-3.5

P2-4CG

OSSD-P36

CP2-4CG

PN	DESC
R0-4-CG	#0 X 4"
R1-4-CG	#1 X 4"
R1-8-CG	#1 X 8"
R1-10-CG	#1 X 10"
R2-4-CG	#2 X 4"
R2-8-CG	#2 X 8"
R3-4-CG	#3 X 4"
R3-8-CG	#3 X 8"

Composite

PN	DESC
CR1-6CG	#1 X 6"
CR2-6CG	#2 X 6"
CR3-6CG	#3 X 6"



- Slender insulation at tip for access to tight spaces
- Cushion Grip (CG) handle for greater comfort and torque
- Plating for corrosion resistance
- Internal Flanges in handle provide solid, twist-resistant blade

R2-4-CG

CR1-6CG

Robertson Tip Screwdrivers



Magnetic Tip Multi-Bit Screwdrivers

PN	DESC
MTS-3	3" Shaft, 3/16" & 1/4" Cabinet, #1, #2 & #3 Phillips
MTS-7	7" Shaft, 3/16" & 1/4" Cabinet, #1, #2 & #3 Phillips
MTS-7CA	7" Shaft, 3/16" & 1/4" Cabinet, #2 & #3 Phillips, #2 Robertson

Composite

PN	DESC
CMTS-6	6" Shaft, 3/16" & 1/4" Cabinet, #1, #2 & #3 Phillips
CMTS-6CA	6" Shaft, 3/16" & 1/4" Cabinet, #2 & #3 Phillips, #2 Robertson

- Slender insulation at tip for access to tight spaces
- Snap-Close storage handle for containment of many bit tips
- Plating for corrosion resistance
- Internal flanges in handle provide solid, twist-resistant blade



CMTS-6

MTS-7

Nut Drivers

- Slender Insulation at Head for access to tight locations
- Cushion Grip (CG) handle for greater comfort and torque
- Plating for corrosion resistance
- Internal Flanges in handle provide solid, twist-resistant blade



ND120-CGXL



CND916-CG



ND120A



ND120ASB

-Angled

PN	DESC
ND516A.....	5/16"
ND380A.....	3/8"
ND716A.....	7/16"
ND716ASB...	7/16" Short Barrel
ND120A.....	1/2"
ND120ASB...	1/2" Short Barrel
ND916A.....	9/16"
ND916ASB...	9/16" Short Barrel
ND580A.....	5/8"
ND580ASB...	5/8" Short Barrel
ND340A.....	3/4"
ND340ASB...	3/4" Short Barrel

SAE

PN	DESC
ND316-CG.....	3/16" X 3"
ND316CGXL.....	3/16" X 6"
ND732-CG.....	7/32" X 3"
ND732-XLCG...	7/32" X 6"
ND140-CG.....	1/4" X 3"
ND140CGXL.....	1/4" X 6"
ND932-CG.....	9/32" X 3"
ND516-CG.....	5/16" X 3"
ND516CGXL.....	5/16" X 6"
ND516CGXXL...	5/16" X 18"
ND1132-CG.....	11/32" X 3"
ND1132CGXL.....	11/32" X 6"
ND380-CG.....	3/8" X 3"
ND380CGXL.....	3/8" X 6"
ND716-CG.....	7/16" X 3"
ND716CGXL.....	7/16" X 6"
ND120-CG.....	1/2" X 3"
ND120CGXL.....	1/2" X 6"
ND916-CG.....	9/16" X 3"
ND916CGXL.....	9/16" X 6"
ND580-CG.....	5/8" X 3"
ND580CGXL.....	5/8" X 6"
ND340CG.....	3/4" X 3"

Metric

PN	DESC
ND4MM-CG.....	4mm X 3"
ND4.5MM-CG....	4.5mm X 3"
ND5MM-CG.....	5mm X 3"
ND5MM-CGXL.....	5mm X 6"
ND5.5MM-CG....	5.5mm X 3"
ND6MM-CG.....	6mm X 3"
ND6MM-CGXL.....	6mm X 6"
ND7MM-CG.....	7mm X 3"
ND7MM-CGXL.....	7mm X 6"
ND8MM-CG.....	8mm X 3"
ND8MM-CGXL...	8mm X 6"
ND9MM-CG.....	9mm X 3"
ND9MM-CGXL...	9mm X 6"
ND10MM-CG.....	10mm X 3"
ND10MM-CGXL...	10mm X 6"
ND11MM-CG.....	11mm X 3"
ND11MM-CGXL...	11mm X 6"
ND12MM-CG.....	12mm X 3"
ND12MM-CGXL...	12mm X 6"
ND13MM-CG.....	13mm X 3"
ND13MM-CGXL...	13mm X 6"

Composite

PN	DESC
CND316-CG3...	3/16" X 3"
CND316-CG.....	3/16" X 6"
CND140-CG3...	1/4" X 3"
CND140-CG.....	1/4" X 6"
CND516-CG3...	5/16" X 3"
CND516-CG.....	5/16" X 6"
CND1132-CG3...	11/32" X 3"
CND1132-CG.....	11/32" X 6"
CND380-CG3...	3/8" X 3"
CND380-CG.....	3/8" X 6"
CND716-CG3...	7/16" X 3"
CND716-CG.....	7/16" X 6"
CND120-CG3...	1/2" X 3"
CND120-CG.....	1/2" X 6"
CND916-CG3...	9/16" X 3"
CND916-CG.....	9/16" X 6"
CND580-CG.....	5/8" X 6"

Holding Screwdrivers

- "Split-Blade" Design
- Rigid Composite Sleeve
- Plating for corrosion resistance
- Cushion Grip (CG) handle for greater comfort and torque
- Available in multiple sizes and bit tip configurations



CPSBMP1

PN	DESC
CPSB1204....	1/8" X 4" OAL 6"
CPSB1206....	1/8" X 6" OAL 8"
CPSB1208....	1/8" X 8" OAL 10"
CPSB1704....	3/16" X 4" OAL 6.5"
CPSB1706....	3/16" X 6" OAL 8.5"
CPSB1708....	3/16" X 8" OAL 10.5"
CPSB1734....	3/16" X 6"
CPSB1736....	3/16" X 8"
CPSB1804....	3/16" X 4"
CPSB1806....	3/16" X 6" OAL 9.75"
CPSB1808...	3/16" X 8" OAL 11.75"
CPSB2304...	1/4" X 4"
CPSB2306...	1/4" X 6" OAL 9.75"
CPSB2308...	1/4" X 8" OAL 11.75"
CPSB2356...	1/4" X 10"
CPSBMP1....	#2 X 6" Phillips CG

Holding Screw and Nut Starters

- Spring-Loaded Design allows for easy operation while wearing insulating gloves
- Slender Design for tight area access and storage
- Composite includes opposing end magnet for retrieval
- Available in multiple sizes and bit tip configurations



Composite

PN	DESC
CD3-8.....	8" Flat Tip
CD11-8....	8" Phillips Tip
CDNS-8...	8" Nut Starter

PN	DESC
D2FTSH.....	3/16" X 9-3/4" Flat Tip
D3FT-SBY....	1/4" X 4" Flat Tip "Stubby"
D3FTSH.....	1/4" X 9-3/4" Flat Tip
D10PTSH.....	#2 X 6" Phillips Tip
D11PT-SBY....	#2 X 4" Phillips Tip "Stubby"
D11PTSH.....	#2 X 9-3/4" Phillips Tip
F2PTSS.....	Universal Screwstarter
G2NS.....	Holding Nut Starter
G2NS-SBY...	4" "Stubby" Holding Nut Starter

G2NS

G2NS-SBY

CD11-8

D11PTSH

Screwdriver Rolls



Screwdriver Sets

TR-4SD

Cabinet Tip Screwdrivers -
3/16" X 6", 1/4" X 6"
Phillips Tip Screwdrivers -
#1 X 6", #2 X 6"
Driver Roll Pouch 6

TR-4MSD

Cabinet Tip Screwdrivers -
1.5mm X 2 1/2", 3.5mm X 2 1/2"
Phillips Tip Screwdrivers -
#0 X 2-1/2", #1 X 2-1/2"



TR-5MSD

TR-5MSD

Cabinet Tip Screwdrivers -
1/8" X 2", 9/64 X 2"
Phillips Tip Screwdriver -
#0 X 2"
Torx Tip Screwdrivers -
T10 X 2", T15 X 2"

TR-5SD

Cabinet Tip Screwdrivers -
3/16" X 4-1/2", 1/4" X 6"
Mechanics Tip Screwdriver -
5/16" X 6"
Phillips Tip Screwdrivers -
#1 X 3", #2 X 4"
Driver Roll Pouch 6



TR-5CSD

Composite Cabinet Tip Screwdrivers -
3/16" X 6", 1/4" X 6", 3/8" X 6"
Composite Phillips Tip Screwdrivers -
#2 X 6", #3 X 6"
Driver Roll Pouch 6

TR-6SD

Cabinet Tip Screwdrivers -
3/16" X 4-1/2", 3/16" X 6", 1/4" X 6"
Mechanics Tip Screwdriver -
5/16" X 6"
Phillips Tip Screwdrivers -
#1 X 3", #2 X 4"
Driver Roll Pouch 6



TR-6SD

TR-6MSD

Cabinet Tip Screwdrivers -
1.5mm X 2-1/2", 3mm X 2-1/2",
4mm X 2-1/2"
Phillips Tip Screwdrivers -
#00 X 2-1/2", #0 X 2-1/2",
#1 X 2-1/2"

TR-6SDS

Cabinet Tip Screwdrivers -
1/8" X 2", 3/16" X 6"
Mechanics Tip Screwdrivers -
1/4" X 4-1/2", 5/16" X 6"
Phillips Tip Screwdrivers -
#1 X 3", #2 X 4"
Driver Roll Pouch 6

TR-6SD-C

Composite Cabinet Tip Screwdrivers -
3/16" X 5", 3/16" X 6", 1/4" X 6"
Composite Mechanics Tip Screwdriver -
5/16" X 6"
Composite Phillips Tip Screwdrivers -
#1 X 3", #2 X 4"
Driver Roll Pouch 6

TR-6CSD

Composite Cabinet Tip Screwdrivers -
1/8" X 6", 3/16" X 6", 1/4" X 6"
Composite Phillips Tip Screwdrivers -
#1 X 5", #2 X 6", #3 X 6"
Driver Roll Pouch 6

TR-6SD-CSO

Composite Cabinet Tip Screwdrivers -
3/16" X 6", 1/4" X 6"
Composite Mechanics Tip Screwdriver -
5/16" X 6"
Composite Phillips Tip Screwdrivers -
#1 X 5", #2 X 6", #3 X 6"
Driver Roll Pouch 6

TR-7SD

Cabinet Tip Screwdrivers -
3/32" X 2", 3/16" X 4-1/2", 1/4" X 4", 1/4" X 6"
Phillips Tip Screwdrivers -
#0 X 3-1/2", #1 X 3", #2 X 4"
Driver Roll Pouch 8

RATED
1000 VAC / 1500 VDC

Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

Screwdriver Rolls



TR-8SD



TR-8MSD

Cabinet Tip Screwdrivers:

1.5mm X 2-1/2", 2.5mm X 2-1/2"
3.0mm X 2-1/2", 3.5mm X 2-1/2",
4.0mm X 2-1/2"

Phillips Tip Screwdrivers:

#00 X 2-1/2", #0 X 2-1/2", #1 X 2-1/2"

Driver Roll Pouch 8

TR-8SD

Cabinet Tip Screwdrivers:

3/16" X 4-1/2", 3/16" X 6", 1/4" X 6"

Mechanics Tip Screwdrivers:

5/16" X 6", 3/8" X 8"

Phillips Tip Screwdrivers:

#1 X 3", #2 X 4", #3 X 6"

Driver Roll Pouch 8

TR-8SD-C

Composite Cabinet Tip Screwdrivers:

3/16" X 5", 3/16" X 6", 1/4" X 4-1/2",
1/4" X 6"

Composite Mechanics Tip Screwdriver:

5/16" X 6", 3/8" X 6"

Composite Phillips Tip Screwdrivers:

#1 X 3", #2 X 4"

Driver Roll Pouch 8

TR-9SD

Cabinet Tip Screwdrivers:

3/16" X 4-1/2", 3/16" X 6", 3/16" X 8"

Mechanics Tip Screwdrivers:

1/4" X 4-1/2", 5/16" X 6", 3/8" X 10"

Phillips Tip Screwdrivers:

#1 X 3", #2 X 4", #3 X 6"

Tool Roll Pouch 9

TR-9SD-CA

Cabinet Tip Screwdrivers:

3/16" X 4-1/2", 3/16" X 6", 1/4" X 6"

Mechanics Tip Screwdriver:

5/16" X 6"

Phillips Tip Screwdrivers:

#1 X 3", #2 X 6"

Robertson Tip Screwdrivers:

#1 X 8", #2 X 8", #3 X 8"

Tool Roll Pouch 9

TR-10SD

Cabinet Tip Screwdrivers:

1/8" X 2", 3/16" X 6", 3/16" X 8",
1/4" X 6"

Mechanics Tip Screwdrivers:

5/16" X 6", 3/8" X 8", 3/8" X 10"

Phillips Tip Screwdrivers:

#1 X 3", #2 X 4", #3 X 6"

Driver Roll Pouch 12

TR-10SDS

Cabinet Tip Screwdrivers:

1/8" X 2", 3/16" X 6", 3/16" X 10"

Mechanics Tip Screwdrivers:

1/4" X 4-1/2", 5/16" X 6", 3/8" X 8",
3/8" X 12"

Phillips Tip Screwdrivers:

#1 X 3", #2 X 4", #3 X 6"

Driver Roll Pouch 12

TR-11SD

Cabinet Tip Screwdrivers:

1/8" X 2", 1/8" X 6", 3/16" X 4-1/2",
3/16" X 6", 1/4" X 6"

Mechanics Tip Screwdrivers:

1/4" X 4-1/2", 5/16" X 6", 3/8" X 8"

Phillips Tip Screwdrivers:

#1 X 3", #2 X 4", #3 X 6"

Driver Roll Pouch 12

Nut Driver Rolls



TR-6ND

3" Nut Drivers:

3/16", 1/4", 5/16", 3/8", 7/16", 1/2"

Driver Roll Pouch 6

TR-6NDXL

6" Nut Drivers:

3/16", 1/4", 5/16", 3/8", 7/16", 1/2"

Driver Roll Pouch 6

TR-6NDXL-C

6" Composite Nut Drivers:

3/16", 1/4", 5/16", 3/8", 7/16", 1/2"

Driver Roll Pouch 6

TR-6NDXL

TR-7NDXL

6" Nut Drivers: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8"
Driver Roll Pouch 8

TR-8ND

3" Nut Drivers: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
Driver Roll Pouch 8

TR-8NDXL

6" Nut Drivers: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
Driver Roll Pouch 8

TR-8CND

6" Composite Nut Drivers: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
Driver Roll Pouch 8

TR-8NDXL-C

6" Composite Nut Drivers: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"
Composite Holding Nut Starter: 5/16" X 8"
Driver Roll Pouch 8

TR-9ND

3" Nut Drivers: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8"
Driver Roll Pouch 9

TR-9NDXL

6" Nut Drivers: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8"
Driver Roll Pouch 9

TR-5ND-MM

3" Nut Drivers: 6mm, 7mm, 8mm, 9mm 10mm
Driver Roll Pouch 6

TR-8ND-MM

3" Nut Drivers: 5mm, 6mm, 7mm, 8mm 9mm, 10mm, 11mm, 12mm
Driver Roll Pouch 8

TR-11ND-MM

3" Nut Drivers: 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm
Driver Roll Pouch 12



Nut Driver Rolls



TR-8ND



TR-8NDXL

Combination Screwdriver / Nut Driver Rolls



TR-10NDSD

Nut Drivers 3" Length:
1/4", 5/16", 3/8", 7/16"
Cabinet Tip Screwdrivers:
3/16" X 4-1/2", 3/16" X 6", 1/4" X 6"
Mechanics Tip Screwdriver:
5/16" X 6"
Phillips Tip Screwdrivers:
#1 X 3", #2 X 4"
Driver Roll Pouch 9



TR-12NDXL/SD

TR-15 DRIVER TOOLS

Cabinet Tip Screwdrivers: 1/8" X 2"
3/16" X 4-1/2", 3/16" X 6", 1/4" X 6"
Mechanics Tip Screwdrivers:
1/4" X 4-1/2", 1/4" X 4-1/2", 5/16" X 6"
Phillips Tip Screwdrivers: #1 X 3,
#2 X 4", #2 X 8", #3 X 6"
8" Composite Starters: Phillips,
Slotted, 5/16" Nut
Driver Roll Pouch 12

TR-12NDXL/SD

Nut Drivers 6" Length:
3/16", 1/4", 5/16", 3/8", 7/16", 1/2"
Cabinet Tip Screwdrivers:
3/16" X 4-1/2", 3/16" X 6", 1/4" X 6"
Mechanics Tip Screwdriver:
5/16" X 6"
Phillips Tip Screwdrivers:
#1 X 3", #2 X 4"
Driver Roll Pouch 12

TR-12NDSD

3" Nut Drivers: 3/16", 1/4",
5/16", 3/8", 7/16", 1/2"
Cabinet Tip Screwdrivers:
3/16" X 4-1/2", 3/16" X 6", 1/4" X 6"
Mechanics Tip Screwdriver:
5/16" X 6"
Phillips Tip Screwdrivers:
#1 X 3", #2 X 4"
Driver Roll Pouch 12

New England Style Linesmen's Pliers

- Heat Treated
- Useful crushing area
- Hardened
- Sure-gripping, cross-hatched
- Knurled jaws
- Heavy-duty cutting knives (cuts ACSR, screws, nails, and most hardened wire)



P9SCNE-H

PN	DESC
P6SCNE.....	6"
P7SCNE.....	7"
P8SCNE.....	8"
P8SCNE-CR.....	8" with Crimper
P9SCNE.....	9"
P9SCNE-CRFT...	9" with Crimper and Fish Tape Puller
P9SCNE-H.....	9" Hardened
P9SCNE-TH.....	9" with Thread Restorer

Universal Pliers



P8-UP

- Compact head
- Heat Treated
- Useful crushing area
- Aussie - Bypass cutting blades for excellent leverage and clean cuts

PN	DESC
P8AUP.....	8" Aussie
P8AUP-C...	8" Aussie with Crimper
P8-UP.....	8" with Crimper
P9-UP.....	9" with Crimper

Water Pump Pliers

- Right angle, laser heat-treated teeth provide long life and better grip
- Undercut tongue and groove won't slip
- Reinforced edge minimizing stress breakage



P12WP

PN	DESC
P4WP.....	4"
P6WP.....	6"
P8WP.....	8"
P10WP.....	10"
P10WP-CA.....	10" Cam Action
P10WP-VG.....	10" with V-Groove
P12WP.....	12"
P12WP-CA.....	12" Cam Action
P12WP-RVG....	12" with Groove Jaw
P12WP-VG.....	12" with V-Groove
P16WP.....	16"
P20WP.....	20"

Needle Nose Pliers

- Designed to reach confined areas
- Long chain nose with fine serrated jaws to make wire loops and bends
- Side cutting edge
- Heavy Duty - High carbon C1080 steel for superior performance



P8CNWS

PN	DESC
P4CN.....	4"
P5BN.....	5" Bent Nose
P6BN.....	6" Bent Nose
P6CN.....	6"
EP-CN6.....	6" Long Reach Mini
P7CN.....	7"
P8CN.....	8"
P8CN2.....	8" Heavy Duty
P8CN2-S.....	8" Heavy Duty with Stripper
P8CN2-SCR...	8" Heavy Duty with Crimp and Stripper
P8CN-WS.....	8" with Wire Stripper

Long Reach Pliers



PN _____ **DESC** _____

PSTN-10LR.....11-3/4" Straight Nose

PBN45-10LR...11-1/2" Bent Nose

PSTNU-9.....10-1/2" Straight Nose

P45BNU-10.....10" 45° Bent Nose



PBN45-10LR

Long Reach Mini Pliers



PN _____ **DESC** _____

EP-OD5... 5-3/4" Oval Head

EP-CN6... 6-1/2" Chain Nose

EP-NN7....7-1/2" Thin Nose

EP-FN6.... 6-1/2" Flat Nose

EP-TD5....6" Thin Diagonal

EP-BN6....7-1/4" Bent Nose

ST-EPZP..Zippered Vinyl Pouch

EP-7PK....7pc set with Pouch



EP-7PK

Duck Bill Pliers

PN _____ **DESC** _____

P6-DB....6" Flat Nose

P8-FN....8" Flat Nose



P6-DB

Crimping Pliers

- Slim nose shape for tight places
- Designed for crimping both insulated and non-insulated solderless connections and terminals
- Cuts 10-22 AWG wire



PN _____ **DESC** _____

P100CT.....10" Crimping

P10CCP.....10" Heavy Duty Crimping and Cutting



P100CT

Round Nose Gas Pliers

- Forged Steel
- Double Pipe Grip
- Conforms to ANSI Specification No. B107.20M Type V
- Conforms to Federal Specification No. GGG-P-471 Type VI



PN _____ **DESC** _____

P10GP.....10" Bare Handle - Non-Rated

P10GP-C...10" Cushion Grip - Non Rated

P10GP-I.....10" 1000V Insulated



P10GP-I

Slip Joint Pliers



P8SJ



P10SJ

- Curved jaw with machined gripping teeth
- Carbon steel forged and machined
- Hardened and tempered

PN _____ DESC _____

P6SJ..... 6"

P8SJ..... 8"

P10SJ.... 10"

Non-Conductive Pliers



PK100

- Non-conductive tool
- Completely concealed pivot pin (only steel component)
- Slender Jaws for entry to tight areas

PN _____ DESC _____

PK100.... 7" Fiberglass Reinforced Plastic

Wire Stripping Pliers



WS19

- Plier style nose allows looping and pulling of wire
- Elongated handles for proper hand fit

PN _____ DESC _____

WS45-215.... 7 5/8"

WS19..... 9" With Crimper

WS30-428...

WS45-121....

WS45-215....

WS45-218....

WS45-615....

P8CN-WS.... 8" Needle Nose

Automatic Wire Stripper



WS1022-I

- Knife-type blades
- Cleanly strips wire up to 7/8" or 22mm
- One-third less hand pressure for each strip
- Eliminates nicking, cutting, and fraying of wire
- Wire Grippers hold and strip wire while centered

PN _____ DESC _____

WS1022-I... 8-1/4" 10-22 Gauge



Diagonal Cutting Pliers

PN	DESC
P4D.....	4"
P6D.....	6"
P7D.....	7-1/2"
P8D.....	8"
P8D2.....	8" Heavy Duty
P8DA.....	8" Angled
P8DAH....	8" Hardened Angled
P8D2H....	8" Hardened
P775HL....	7-3/4" High Leverage
P954HL...	9-1/2" High Leverage

- Box joint
- Designed for general wire cutting, flush cutting, or in confined spaces
- Durable heat treated edges
- Polished head



P7D

Shear-Cut Cable Cutting Pliers

PN	DESC
P8CC.....	8"
P9CC.....	9"
P9CC-CR...	9" with Crimper
P9CC-FS...	Fire Safety 9"
P9CC-LR...	9" with Large Ring
P10CC.....	9 1/2" Bull Nose
P10CCP....	Universal with Plier
CC-24.....	24"
CC-25.....	25"
CC-30.....	30"

- Precision ground, shear action cutting blades
- Hi-Leverage handles
- Heavy duty forged steel
- Heat treated



P9CC

P10CCP

Bolt Cutters

- Drop-forged, precision ground, alloy tool steel jaws with center-cut blades
- Lockplate keeps jaws secure
- Toggle joint provides and 80x increase of hand-cutting pressure
- Screw-type adjustment allows realignment of edges



PN	DESC
BC-18....	18"
BC-24....	24"
BC-30...	30"
BC-36...	36"

BC-18



Ratcheting Cable Cutting Pliers

- Hardened heavy-duty cutting blades
- Locking mechanism for safe transportation



Standard

- Cutter for stranded & flexible copper and aluminum cable
- Not for use on steel, aluminum alloys, or hard-drawn copper cables

ACSR

- capable of cutting aluminum, copper, and aluminum conductor steel reinforced (ACSR) cables

PN	DESC
RCC500.....	10" up to 500 MCM
RCC750.....	9" up to 750 MCM
RCC1000.....	15" up to 1000 MCM

RCC350-ACSR...10" up to 350 MCM/
336 ACSR



RCC500

RCC350-ACSR

Fully Insulated - 1000V Rated Adjustable Wrenches



- Wide capacity jaw allows each tool to work with more fastener sizes
- Wider handle provides more comfort and less stress to the hand
- Tension spring stabilizes jaw and allows easy adjustment of knurled adjustment knob
- Alloy steel and heat treated
- Proportioned dimensions for greatest strength and minimum weight
- Fully insulated adjustable wrench with NO exposed metal for complete 1000V Protection



AW-10FI


PN	DESC
AW-6FI.....	6" O.A.L. - .94" Opening
AW-8FI.....	8" O.A.L. - 1.13" Opening
AW-10FI.....	10" O.A.L. - 1.31" Opening
AW-10FI-ST.	10" With Loop
AW-12FI.....	12" O.A.L. - 1.56" Opening
AW-15FI.....	15" O.A.L. - 1.75" Opening

Insulated - Non-Voltage Rated Adjustable Wrenches



- Wide capacity jaw allows each tool to work with more fastener sizes
- Wider handle provides more comfort and less stress to the hand
- Tension spring stabilizes jaw and allows easy adjustment of knurled adjuster
- Alloy steel and heat treated
- Proportioned dimensions for greatest strength and minimum weight

***NOT A VOLTAGE RATED TOOL**



AW-10

PN	DESC
AW-4.....	4" O.A.L. - .69" Opening
AW-6.....	6" O.A.L. - .94" Opening
AW-6-C...	6" Chrome
AW-8.....	8" O.A.L. - 1.13" Opening
AW-8-C...	8" Chrome
AW-10.....	10" O.A.L. - 1.31" Opening
AW-10-C...	10" Chrome
AW-12.....	12" O.A.L. - 1.56" Opening
AW-12-C...	12" Chrome
AW-15.....	15" O.A.L. - 1.75" Opening
AW-15-C...	15" Chrome

Pipe Wrenches



- Oh Yes - We even have these
- Premium quality Rothenberger base tool with bump protection

***NOT A VOLTAGE RATED TOOL**



12PW

PN	DESC
8PW.....	8"
10PW.....	10"
12PW.....	12"

PN	DESC
OEW-06....	3/16"
OEW-08....	1/4"
OEW-10....	5/16"
OEW-10L....	5/16" Long 7"
OEW-11....	11/32"
OEW-12....	3/8"
OEW-14....	7/16"
OEW-16....	1/2"
OEW-18....	9/16"
OEW-20....	5/8"
OEW-22....	11/16"
OEW-24....	3/4"
OEW-26....	13/16"
OEW-28....	7/8"
OEW-28S....	7/8" Short 7"
OEW-30....	15/16"
OEW-32....	1"
OEW-34....	1-1/16"
OEW-36....	1-1/8"
OEW-38....	1-3/16"
OEW-40....	1-1/4"
OEW-40S....	1-1/4" Short 10"
OEW-42....	1-5/16"
OEW-44....	1-3/8"
OEW-46....	1-7/16"
OEW-48....	1-1/2"
OEW-48S....	1-1/2" Short 10"
OEW-52....	1-5/8"
OEW-54....	1-11/16"
OEW-56....	1-3/4"
OEW-58....	1-13/16"
OEW-60....	1-7/8"
OEW-64....	2"

PN	DESC
OEW-06M....	6mm
OEW-07M....	7mm
OEW-08M....	8mm
OEW-09M....	9mm
OEW-10M....	10mm
OEW-11M....	11mm
OEW-12M....	12mm
OEW-13M....	13mm
OEW-14M....	14mm
OEW-15M....	15mm
OEW-16M....	16mm
OEW-17M....	17mm
OEW-18M....	18mm
OEW-19M....	19mm
OEW-20M....	20mm
OEW-21M....	21mm
OEW-22M....	22mm
OEW-23M....	23mm
OEW-24M....	24mm
OEW-25M....	25mm
OEW-26M....	26mm
OEW-27M....	27mm
OEW-28M....	28mm
OEW-29M....	29mm
OEW-30M....	30mm
OEW-32M....	32mm

Open End Wrenches

The right tool for the job. Cementex Open End Wrenches provide premium quality with a wide range of options when only the right tool will do. Long, Short, Big, Small, and everything in between – Cementex delivers.

- Classic design perfected over time
- Slender head allows access to tight locations
- Wide range of sizes and length
- Made in USA



OEW-22



IOEWS-8



IOEWS-11M

Open End Wrench Sets

PN	DESC
IOEWCB-6.....	1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2", T-Handle Bag - Long
IOEWCB-8.....	1", 1-1/16", 1-1/8", 1-1/4", 1-5/16, 1-3/8", 1-7/16", 1-1/2", T-Handle Bag - Long
IOEWS-6.....	3/8", 7/16", 1/2", 9/16", 5/8", 3/4", Wrench Roll Pouch 8
IOEWS-8.....	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", Wrench Roll Pouch 8
IOEWS-11.....	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", Wrench Roll Pouch 11
IOEWS-13.....	1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", Wrench Roll Pouch 11
IOEWS-14.....	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4", Wrench Roll Pouch 13
IOEWS-6M.....	10mm, 12mm, 13mm, 14mm, 15mm, 17mm, Wrench Roll Pouch 8
IOEWS-8M.....	10mm, 12mm, 13mm, 14mm, 15mm, 16mm, 18mm, 19mm, Wrench Roll Pouch 8
IOEWS-11M.....	10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm, 27mm, Wrench Roll Pouch 11
IOEWS-13M.....	7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, Wrench Roll Pouch 11
IOEWS-17M.....	10mm, 12mm, 13mm, 14mm, 15mm, 16mm, 18mm, 19mm, Wrench Roll Pouch 13

Box End Wrenches



The right tool for the job. Cementex Box End Wrenches provide premium quality with a wide range of options when only the right tool will do. Long, Short, Big, Small, and everything in between.

- Classic design perfected over time
- Slender head allows access to tight locations
- Wide range of sizes and length
- Made in USA



BEW-20



IBEWS-13

PN	DESC	PN	DESC
BEW-06.....	3/6"	BEW-06M.....	6mm
BEW-08.....	1/4"	BEW-07M.....	7mm
BEW-10.....	5/16"	BEW-08M.....	8mm
BEW-12.....	3/8"	BEW-09M.....	9mm
BEW-12OS...	3/8" Offset	BEW-10M.....	10mm
BEW-14.....	7/16"	BEW-11M.....	11mm
BEW-16.....	1/2"	BEW-12M.....	12mm
BEW-16OS...	1/2" Offset	BEW-13M.....	13mm
BEW-18.....	9/16"	BEW-14M.....	14mm
BEW-20.....	5/8"	BEW-15M.....	15mm
BEW-20OS...	5/8" Offset	BEW-16M.....	16mm
BEW-22.....	11/16"	BEW-17M.....	17mm
BEW-24.....	3/4"	BEW-18M.....	18mm
BEW-24OS...	3/4" Offset	BEW-19M.....	19mm
BEW-26.....	13/16"	BEW-19MOS..	19mm Offset
BEW-28.....	7/8"	BEW-20M.....	20mm
BEW-28OS...	7/8" Offset	BEW-21M.....	21mm
BEW-30.....	15/16"	BEW-22M.....	22mm
BEW-32.....	1"	BEW-23M.....	23mm
BEW-34.....	1-1/16"	BEW-24M.....	24mm
BEW-36.....	1-1/8"	BEW-25M.....	25mm
BEW-38.....	1-3/16"	BEW-26M.....	26mm
BEW-40.....	1-1/4"	BEW-27M.....	27mm
BEW-42.....	1-5/16"	BEW-28M.....	28mm
BEW-44.....	1-3/8"	BEW-29M.....	29mm
BEW-46.....	1-7/16"	BEW-30M.....	30mm
BEW-48.....	1-1/2"	BEW-32M.....	32mm
BEW-52.....	1-5/8"		
BEW-54.....	1-11/16"		
BEW-56.....	1-3/4"		
BEW-58.....	1-13/16"		
BEW-60.....	1-7/8"		
BEW-64.....	2"		



IBEWS-13M

Box End Wrench Sets

PN	DESC
IBEWCB-6.....	1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2", T-Handle Bag - Long
IBEWCB-8.....	1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", T-Handle Bag - Long
IBEWS-8.....	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", Wrench Roll Pouch 8
IBEWS-9-1434.....	1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", Wrench Roll Pouch 8
IBEWS-11.....	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", Wrench Roll Pouch 1
IBEWS-13.....	1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", Wrench Roll Pouch 13
IBEWS-14.....	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4", Wrench Roll Pouch 13
IBEWS-6M.....	10mm, 12mm, 13mm, 14mm, 15mm, 17mm, Wrench Roll Pouch 8
IBEWS-8M.....	10mm, 12mm, 13mm, 14mm, 15mm, 16mm, 18mm, 19mm, Wrench Roll Pouch 8
IBEWS-10M-0716.....	7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, Wrench Roll Pouch 11
IBEWS-11M.....	10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm, 27mm, Wrench Roll Pouch 11
IBEWS-13M.....	7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, Wrench Roll Pouch 13
IBEWS-17M.....	7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 22mm, 23mm, Wrench Roll Pouch 8

Ratcheting Box End Wrenches

PN _____ DESC_

IGW-06M.....6mm
 IGW-07M.....7mm
 IGW-08M.....8mm
 IGW-09M.....9mm
 IGW-10M.....10mm
 IGW-11M.....11mm
 IGW-12M.....12mm
 IGW-13M.....13mm
 IGW-14M.....14mm
 IGW-15M.....15mm
 IGW-16M.....16mm
 IGW-17M.....17mm
 IGW-18M.....18mm
 IGW-19M.....19mm
 IGW-20M.....20mm
 IGW-21M.....21mm
 IGW-22M.....22mm
 IGW-23M.....23mm
 IGW-24M.....24mm
 IGW-25M.....25mm
 IGW-27M.....27mm
 IGW-30M.....30mm
 IGW-32M.....32mm

PN _____ DESC_

IGW-08..... 1/4"
 IGW-10..... 5/16"
 IGW-12..... 3/8"
 IGW-14..... 7/16"
 IGW-16..... 1/2"
 IGW-18..... 9/16"
 IGW-20..... 5/8"
 IGW-22..... 11/16"
 IGW-24..... 3/4"
 IGW-26..... 13/16"
 IGW-28..... 7/8"
 IGW-30..... 15/16"
 IGW-32..... 1"
 IGW-34..... 1-1/16"
 IGW-36..... 1-1/8"
 IGW-40..... 1-1/4"

The secure hold and size benefits of the Cementex Box End Wrenches with the added features of a Ratcheting head. Precision Ratcheting head is guaranteed to withstand your heavy work load while saving valuable time.

- Classic design only slightly larger than a standard box end wrench
- Slender head allows access to tight locations
- Wide range of sizes and length
- Reverse direction by flipping sides



IGW-24



IGRBWS-8



IGRBWS-11

Ratcheting Box End Wrench Sets

PN _____ DESC_

IGRBWS-8..... 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", Wrench Roll Pouch 8
 IGRBWS-9..... 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", Wrench Roll Pouch 8
 IGRBWS-11..... 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", Wrench Roll Pouch 11
 IGRBWS-13..... 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", Wrench Roll Pouch 13
 IGRBWS-16..... 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4", Wrench Roll Pouch 13
 IGRBWS-8M..... 10mm, 11mm, 12mm, 14mm, 16mm, 18mm, 19mm, 20mm, Wrench Roll Pouch 8
 IGRBWS-11M..... 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, Wrench Roll Pouch 11
 IGRBWS-15M..... 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, Wrench Roll Pouch 13

Ratcheting Wrenches

RATED
 1000 VAC / 1500 VDC

Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

Single End Ratcheting Box Wrenches

Full polish finish provides corrosion resistance and an easy-to-clean surface, while built in retaining ring in each ratchet wheel adds speed and convenience for great accessibility. Shorter length for access to confined workspaces. The wrench self-aligns with the fastener.



PN	DESC
RBWSE-08.....	1/4"
RBWSE-10.....	5/16"
RBWSE-12.....	3/8"
RBWSE-14.....	7/16"
RBWSE-16.....	1/2"
RBWSE-18.....	9/16"
RBWSE-20.....	5/8"
RBWSE-22.....	11/16"
RBWSE-24.....	3/4"
RBWSE-28.....	7/8"



RBWSE-28

Offset Single End Ratcheting Box Wrenches

Full polish finish provides corrosion resistance and an easy-to-clean surface. Built in retaining ring in each ratchet wheel adds speed and while the 45° offset and shorter length provide for greater access to confined workspaces. The wrench self-aligns with the fastener.



PN	DESC
ROBWSE-08....	1/4"
ROBWSE-10.....	5/16"
ROBWSE-12.....	3/8"
ROBWSE-14.....	7/16"
ROBWSE-16.....	1/2"
ROBWSE-18.....	9/16"
ROBWSE-20.....	5/8"
ROBWSE-22.....	11/16"
ROBWSE-24.....	3/4"
ROBWSE-28.....	7/8"



ROBWSE-24

Ratcheting Bug Wrenches

Orange handle is formulated of a high strength and high dielectric polymer. A see-through port in the center of the handle confirms that the two ends are not electrically connected.



PN	DESC
CPIRB-0810.....	1/4" X 5/16"
CPIRB-0814.....	1/4" X 3/8"
CPIRB-1006.....	5/16" X 3/16"
CPIRB-1214.....	3/8" X 7/16"
CPIRB-1618.....	1/2" X 9/16"
CPIRB-1824.....	9/16" X 3/4"
CPIRB-2022.....	5/8" X 11/16"
CPIRB-2024.....	5/8" X 3/4"
CPIRB-2026.....	5/8" X 13/16"
CPIRB-2428.....	7/8" X 3/4"
CPIRB-516HX16...	5/16" Hex X 1/2"
CPIRBK-5.....	5 Pc Set - 3/8" X 7/16", 1/2" X 9/16", 9/16" X 3/4", 5/8" X 3/4", 7/8" X 3/4", Wrench Roll Pouch 6



CPIRB-2024

One Hander Wrench

One Hand Wrenches features a strong, forged steel, one-piece handle. Spring-loaded jaws grip any shape: meter nuts, round pipe, or parts of fittings without adjustment. One Hand Wrenches work like a pipe wrench and provide better grip than pliers due to the jaws and tooth direction. Securely and immediately tighten and loosen without removing the wrench from pipe.

***NOT A VOLTAGE RATED TOOL**

PN	DESC
OHW-08...	8"
OHW-10.....	10"
OHW-12.....	12"



**Metric****IHW-716**

Hex Wrenches

- Hardened American Steel
- Made in USA
- T-Handle: Solid Core handle provides superior grip and rigid construction limiting twisting and flexing, and distributing pressure evenly throughout gloved hand.

**SAE**

SIZE	"L"	Short Arm "L"	6" T-HANDLE
.9mm	IHW-.9M	IHW-.9M-SA	IHK-.9M
1.5mm	IHW-1.5M	IHW-1.5M-SA	IHK-1.5M
2mm	IHW-2M	IHW-2M-SA	IHK-2M
2.5mm	IHW-2.5M	IHW-2.5M-SA	IHK-2.5M
3mm	IHW-3M	IHW-3M-SA	IHK-3M
3.5mm	IHW-3.5M	IHW-3.5M-SA	IHK-3.5M
4mm	IHW-4M	IHW-4M-SA	IHK-4M
5mm	IHW-5M	IHW-5M-SA	IHK-5M
5.5mm	IHW-5.5M	IHW-5.5M-SA	IHK-5.5M
6mm	IHW-6M	IHW-6M-SA	IHK-6M
7mm	IHW-7M	IHW-7M-SA	IHK-7M
8mm	IHW-8M	IHW-8M-SA	IHK-8M
9mm	IHW-9M	IHW-9M-SA	IHK-9M
10mm	IHW-10M	IHW-10M-SA	IHK-10M
11mm	IHW-11M	IHW-11M-SA	IHK-11M
12mm	IHW-12M	IHW-12M-SA	IHK-12M
13mm	IHW-13M	IHW-13M-SA	IHK-13M
14mm	IHW-14M	IHW-14M-SA	IHK-14M
17mm	IHW-17M	IHW-17M-SA	IHK-17M
19mm	IHW-19M	IHW-19M-SA	IHK-19M
22mm	IHW-22M	IHW-22M-SA	IHK-22M
24mm	IHW-24M	IHW-24M-SA	IHK-24M

SIZE	"L"	XL ARM "L"	6" T-HANDLE	9" T-HANDLE	14" T-HANDLE
1/16"	IHW-116	IHW-116L	IHK-116	-	-
5/64"	IHW-564	IHW-564L	IHK-564	IHK-564L	IHK-564XL
3/32"	IHW-332	IHW-332L	IHK-332	IHK-332L	IHK-332XL
7/64"	IHW-764	IHW-764L	IHK-764	IHK-764L	IHK-764XL
1/8"	IHW-180	IHW-180L	IHK-180	IHK-180L	IHK-180XL
9/64"	IHW-964	IHW-964L	IHK-964	IHK-964L	IHK-964XL
5/32"	IHW-532	IHW-532L	IHK-532	IHK-532L	IHK-532XL
3/16"	IHW-316	IHW-316L	IHK-316	IHK-316L	IHK-316XL
7/32"	IHW-732	IHW-732L	IHK-732	IHK-732L	IHK-732XL
1/4"	IHW-140	IHW-140L	IHK-140	IHK-140L	IHK-140XL
5/16"	IHW-516	IHW-516L	IHK-516	IHK-516L	IHK-516XL
3/8"	IHW-380	IHW-380L	IHK-380	IHK-380L	IHK-380XL
7/16"	IHW-716	IHW-716L	IHK-716	IHK-716L	IHK-716XL
1/2"	IHW-120	IHW-120L	IHK-120	IHK-120L	IHK-120L
9/16"	IHW-916	IHW-916L	IHK-916	IHK-916L	IHK-916XL
5/8"	IHW-580	IHW-580L	IHK-580	IHK-580L	IHK-580XL
3/4"	IHW-340	IHW-340L	IHK-340	-	-

**HWS-14L****MHWS-8LA**

Hex "L" Wrench Sets

PN DESC

HWS-7L.....	5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", Hex Key Pocket Pouch
HWS-8L.....	1/8", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", Hex Key Pocket Pouch
HWS-10L.....	1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", Hex Key Pocket Pouch
HWS-14L.....	1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", Hex Key Pocket Pouch
HWS-16L.....	1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16, 5/8", Hex Key Pocket Pouch
MHWS-8LA...	4mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 14mm, Hex Key Pocket Pouch
MHWS-9L.....	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm, Hex Key Pocket Pouch
MHWS-10L...	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 9mm, 10mm, Hex Key Pocket Pouch
MHWS-11L.....	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 11mm, 12mm, Hex Key Pocket Pouch
MHWS-12L.....	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm, 14mm, 17mm, Hex Key Pocket Pouch
MHWS-13L.....	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, Hex Key Pocket Pouch
MHWS-14L.....	.9mm, 1.5mm, 2mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 12mm, 14mm, 17mm, Hex Key Pocket Pouch
MHWS-18L.....	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 14mm, 17mm, 19mm, 22mm, 24mm, Hex Key Pocket Pouch

Hex T-Handle Wrench Sets

Multiple shaft lengths and a range of combinations sure to meet your requirements. Ask your Cementex dealer or representative about adding one of these kits to your collection of tools or adding individual T-Handles to your custom kit.



HKS-8TL916XL

T-Handle Bag - Long



T-Handle Bag - Standard

HKS-8T916



MHKS-10T

PN _____ 6" T-Handle Wrenches _____

HKS-3T120.....	5/64", 3/8", 1/2", T-Handle Bag - Standard
HKS-6T.....	5/32", 3/16", 7/32", 1/4", 5/16", 3/8", T-Handle Bag - Standard
HKS-6T380.....	5/32", 3/16", 7/32", 1/4", 5/16", 3/8", T-Handle Bag - Standard
HKS-8T380.....	1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", T-Handle Bag - Long
HKS-8T916.....	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", T-Handle Bag - Standard
HKS-10T120.....	1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", T-Handle Bag - Standard
HKS-10T380.....	3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", T-Handle Bag - Standard
HKS-11T380.....	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", T-Handle Bag - Long
HKS-11T916.....	1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", T-Handle Bag - Standard
HKS-12T120.....	3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", T-Handle Bag - Standard
HKS-13T120.....	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", T-Handle Bag - Long
HKS-13T916.....	3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", T-Handle Bag - Standard
HKS-14T580.....	3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", T-Handle Bag - Standard

PN _____ 9" T-Handle Wrenches _____

HKS-8TL380XL.....	1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", T-Handle Bag - Long
HKS-8TL916XL.....	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", T-Handle Bag - Long
HKS-10TL120XL.....	1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", T-Handle Bag - Long
HKS-10TL380XL.....	3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", T-Handle Bag - Long
HKS-11TL916XL.....	1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", T-Handle Bag - Long
HKS-12TL120XL.....	3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", T-Handle Bag - Long
HKS-14T580XL.....	3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", T-Handle Bag - Long

PN _____ Metric 6" T-Handle Wrenches _____

MHKS-4T.....	4mm, 5mm, 6mm, 8mm, Small Pocket Pouch
MHKS-8T.....	2mm, 3mm, 4mm, 5mm, 6mm, 8mm, 9mm, 10mm, T-Handle Bag - Long
MHKS-9T.....	2mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, T-Handle Bag - Long
MHKS-10T.....	2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, T-Handle Bag - Long

T-Handle 6-Point Socket Wrenches

PN	DESC
TW12-10L.....	5/16" X 12"
TW12-12L.....	3/8" X 12"
TW12-14L.....	7/16" X 12"
TW12-16.....	1/2" X 12"
TW12-16L.....	1/2" X 12"
TW-12-16-16L.....	1/2" X 16"
TW12-18L.....	9/16" X 12"
TW12-18-18L.....	9/16" X 18"
TW12-33-18L Fl.....	9/16" X 33"
TW12-20L.....	5/8" X 12"
TW12-22L.....	11/16" X 12"
TW12-24L.....	3/4" X 12"
TW12-26L.....	13/16" X 12"
TW12-18L.....	7/8" X 12"
TW12-30L.....	15/16" X 12"
TW12-32L.....	1" X 12"

- Hardened American Steel
- Solid Core Handle provides superior grip and rigid construction limiting twisting and flexing, and distributing pressure evenly throughout gloved hand.
- Deep wall and hollow shank
- Custom lengths available
- Made in USA



TW12-16L

T-Handles - Breaker Bars

PN	DESC
TW38-DR.....	3/8" Square Drive X 7"
TW38DR-12...	3/8" Square Drive X 12"
TW12-DR.....	1/2" Square Drive X 10-1/2"

- Hardened American Steel
- Solid Core Handle provides superior grip and rigid construction limiting twisting and flexing, and distributing pressure evenly throughout gloved hand.
- Made in USA



TW12-DR

T-Handle Drives

PN	DESC
BB14-5.....	1/4" Drive, 5-3/4" Length
BB38-8.....	3/8" Drive, 8 1/2" Length
IBB38-9-19M....	3/8" Drive, 9" Length, 19mm Socket
IBB38-12.....	3/8" Drive, 12" Length
BB38-15.....	3/8" Drive, 15" Length
IBB38-15.....	3/8" Drive, 15" Length
BB12-12.....	1/2" Drive, 12" Length
BB12-17.....	1/2" Drive, 17" Length
BB34-22.....	3/4" Drive, 22" Length



IBB38-8

Breaker Bars

Break loose stubborn nuts and bolts without damage your socket wrench!
The additional length allows the same amount of force to generate more torque than a standard length socket wrench. Custom sizes available.

RATED 1000 VAC / 1500 VDC Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

Torque Wrenches

- Audible "click" and/or a few degrees of travel provide simple, fast indication of micrometer - accurate torque settings.
- Low friction torque control mechanism produces accurate readings in either direction.
- Accuracy is +/-4% of setting right hand (clockwise) and +/-6% of setting left hand (counterclockwise) within upper 80% of scale.
- Two calibration adjustments (major and fine) permit easy and precise torque settings. Most conventional torque wrenches have only one adjustment.
- Dual scale models give readings in Inch-Pounds/Newton Meters or Foot-Pounds/Newton Meters.
- Spring-loaded or Twist-locking collar locks scale on desired reading and remains in locked position. Wrench cannot be left inadvertently unlocked.
- Heavy-Duty, reversible ratchet models have quick-shift lever to allow easy single-hand shifting.
- Always store all adjustable models at their lowest torque setting.



1/4" Square Drive DESC

1050TW14I.....	10-50 Inch Lbs.
30150TW14I.....	30-150 Inch Lbs.
30200TW14I.....	30-200 Inch Lbs.

3/8" Square Drive DESC

30150TW38I.....	30-150 Inch Lbs.
30150TW38I-K.....	30-150 Inch Lbs. in Protective Case
30150TW38I-NR.....	30-150 Inch Lbs. with Non-Ratcheting Head
30200TW38I.....	30-200 Inch Lbs.
30200TW38I-K.....	30-200 Inch Lbs. in Protective Case
50250TW38I.....	50-250 Inch Lbs.
150750TW38I.....	150-750 Inch Lbs.
1575TW38F.....	15-75 Foot Lbs.
1575TW38F-K.....	15-75 Foot Lbs. in Protective Case
30150TW38F.....	30-150 Foot Lbs.

1/2" Square Drive DESC

150750TW12I.....	150-750 Inch Lbs.
1575TW12F.....	15-75 Foot Lbs.
25250TW12F.....	25-250 Foot Lbs.
30150TW12F.....	30-150 Foot Lbs.

30150-30200TW BOOT.... Replacement boot for 30150 and 30200



Torque Screwdrivers



236TSDK

- Precision micrometer scale calibrated in Inch-Pounds, increments 1 inch-lbs.
- Easy-release bit holders featuring 1/4" female hex drive securely retain bits during operation while permitting easy removal.
- Anti-backlash design for repeatability.
- Meets or exceeds ASME B107.14M and ISO 6789 specifications.
- Adjustable model accuracy is +/-6 of setting, starting at 20% of full scale. Right hand (clockwise) only.



PN DESC

236TSD.....	2-36 Inch Lbs.
236TSDK.....	2-36 Inch Lbs. in Protective Case
236TSD140.....	2-36 Inch Lbs. 1/4" Square Drive

235TSD BOOT... 236TSD Replacement Boot

Ratchets: Square Drive Lever Control

Premium quality ratchets with a secret weapon. The Cementex "X-Drive" System available on our 3/8" and 1/2" square drive ratchets extends the drive of these ratchets to allow for direct connection of Insulated Sockets; eliminating the requirement of an extension bar, and allowing access to tight places. The large lever control makes adjustments easy even while wearing insulating gloves.

PN	DESC
IR14-LC.....	1/4"
IR38-LC.....	3/8"
IR38-LC-SD.....	3/8" ShortDrive
IR38-LCS.....	3/8" Stubby
IR38-516H.....	3/8" with 5/16" Hex
IR12-LC.....	1/2"
IR12-LCS.....	1/2" Stubby
IR34-LC.....	3/4"



IB38-8F



IR38-LC
and
IR38-LCS

PN	1/4" Drive
IB14-2.....	2"
IB14-3.....	3"
IB14-6.....	6"
IB14-10.....	10"
IB14-14.....	14"

*all 1/4" SqDr extensions are flared as shown

PN	1/2" Drive
IB12-2.....	2"
IB12-2F...	2" Flared
IB12-3.....	3"
FX12-3.....	3" Fiberglass
IB12-5.....	5"
IB12-5F...	5" Flared
FX12-5.....	5" Fiberglass
FX12-6.....	6" Fiberglass
FX12-8.....	8" Fiberglass
IB12-10.....	10"
IB12-10F..	10" Flared
FX12-12...	12" Fiberglass
IB12014...	14"
FX12-14...	14" Fiberglass
IB12-20...	20"
FX12-20...	20" Fiberglass
FX12-24...	24" Fiberglass
FX12-30...	30" Fiberglass

Hex Extension

PN	1/2" Drive
FX12-1224H..	12" 3/4" Hex

PN	3/8" Drive
IB38-1.....	1"
IB38-1.5.....	1-1/2"
IB38-3.....	3"
IB38-3F.....	3" Flared
FX38-3.....	3" Fiberglass
IB38-5.....	5"
IB38-6.....	6"
IB38-6F.....	6" Flared
IB38-6-MAG..	6" With Magnet
IB38-6W.....	6" Wobble
FX38-6.....	6" Fiberglass
FX38-7.....	7" Fiberglass
IB38-8.....	8"
IB38-8F.....	8" Flexible
IB38-8W.....	8" Wobble
FX38-8.....	8" Fiberglass
IB38-10.....	10"
IB38-12.....	12"
IB38-12F.....	12" Flared
FX38-12.....	12" Fiberglass
IB38-20.....	20"
IB38-20F.....	20" Flared

PN	3/4" Drive
FX34-6...	6" Fiberglass

No Shortage of options here: Flared, Fiberglass, Flexible, Magnetized, Wobble. With Cementex Extension Bars your never out of reach. Don't see what your looking for? Let us know. Custom lengths and configurations available.



Wobble Extension Bars

Socket Adapters



38F12M

38F14M

14F38M

12F38M

12F38ML

PN	DESC
14F38M.....	1/4" Female - 3/8" Male
14F38M W/W.....	1/4" Female - 3/8" Male with Washer
38F14M.....	3/8" Female - 1/4" Male
38F14M W/W.....	3/8" Female - 1/4" Male with Washer
38F14M-6.....	3/8" Female - 1/4" Male 6" Length
38F12M.....	3/8" Female - 1/2" Male
38F12M W/W.....	3/8" Female - 1/2" Male with Washer
12F38M.....	1/2" Female - 3/8" Male
12F38M W/BOOT....	1/2" Female - 3/8" Male with Boot
12F38ML.....	1/2" Female - 3/8" Male Extender
12F34M.....	1/2" Female - 3/4" Male
34F12M.....	3/4" Female - 2-1/4" Male

Penta

5 Point 1000V rated sockets.
Additional sizes available upon request.



	3/8" Drive	1/2" Drive
SIZE	STD WALL	STD WALL
13/16"	IS38-26 PENTA	IS12-26 PENTA

Impact

Sockets are manufactured with extra-thick sidewalls to withstand heavy impact and extreme torque.



	3/8" Drive	1/2" Drive
	6 Point	6 Point
SIZE	DEEP WALL	STD WALL
1/2"	IS38-16L-IMPACT	IS12-16L-IMPACT
1-1/2"	IS38-48L-IMPACT	IS12-48L-IMPACT
1-9/16"	IS38-50L-IMPACT	IS12-50L-IMPACT
1-5/8"	IS38-52L-IMPACT	IS12-52L-IMPACT
1-11/16"	IS38-54L-IMPACT	IS12-54L-IMPACT
1-5/8"	IS38-56L-IMPACT	IS12-56L-IMPACT

Cementex offers 1,000 Volt Rated Insulated Sockets for use with insulated tools including; Ratchets, Torque Wrenches, Extensions Bars, T-Handled Square Drives, Breaker Bars, etc.

With a quality and selection that is unmatched in the market place, we go the extra mile by utilizing our unique coating technique. This method allows the socket to be shaped in a way that allows maximum access to the tightest of places while providing the highest level of protection.

Flush Connect: a socket without the standard "Boot" that is incorporated into most Cementex sockets. This "Boot" serves to provide coverage protection to socket / ratchet / extension bar connection points. "Flush Connect" sockets are designed for use with Cementex Non-"X-Drive" and "X-Drive" Ratchets as well as other manufacturer's Non-"X-Drive" ratchets. "Flush Connect" Sockets, when used with an extension bar, should utilize a "Flared" extension bar.



1/4" Square Drive: SAE

SIZE	STANDARD WALL	STANDARD WALL FLUSH CONNECT	DEEP WALL
5/32"	IS14-05	IS14-05 WO	IS14-05L
3/16"	IS14-06	IS14-06 WO	IS14-06L
7/32"	IS14-07	IS14-07 WO	IS14-07L
1/4"	IS14-08	IS14-08 WO	IS14-08L
9/32"	IS14-09	IS14-09 WO	IS14-09L
5/16"	IS14-10	IS14-10 WO	IS14-10L
11/32"	IS14-11	IS14-11 WO	IS14-11L
3/8"	IS14-12	IS14-12 WO	IS14-12L
7/16"	IS14-14	IS14-14 WO	IS14-14L
1/2"	IS14-16	IS14-16 WO	IS14-16L
9/16"	IS14-18	IS14-18 WO	IS14-18L



1/4" Square Drive: Metric

SIZE	STANDARD WALL	DEEP WALL
4mm	IS14-04M	IS14-04ML
4.5mm	IS14-4.5M	IS14-4.5ML
5mm	IS14-05M	IS14-05ML
5.5mm	IS14-05.5M	IS14-05.5ML
6mm	IS14-06M	IS14-06ML
7mm	IS14-07M	IS14-07ML
8mm	IS14-08M	IS14-08ML
9mm	IS14-09M	IS14-09ML
10mm	IS14-10M	IS14-10ML
11mm	IS14-11M	IS14-11ML
12mm	IS14-12M	IS14-12ML
13mm	IS14-13M	IS14-13ML
14mm	IS14-14M	IS14-14ML
15mm	IS14-15M	IS14-15ML
16mm	IS14-16M	IS14-15ML



3/8" Square Drive: SAE



Sockets



6 Point



SIZE__	STANDARD WALL			DEEP WALL	
	STD WALL	FLUSH CONNECT	DEEP WALL	FLUSH CONNECT	
3/16"	IS38-06 6PT	IS38-06 6PT WO	IS38-06L 6PT	IS38-06L 6PT WO	
1/4"	IS38-08 6PT	IS38-08 6PT WO	IS38-08L 6PT	IS38-08L 6PT WO	
5/16"	IS38-10 6PT	IS38-10 6PT WO	IS38-10L 6PT	IS38-10L 6PT WO	
3/8"	IS38-12 6PT	IS38-12 6PT WO	IS38-12L 6PT	IS38-12L 6PT WO	
7/16"	IS38-14 6PT	IS38-14 6PT WO	IS38-14L 6PT	IS38-14L 6PT WO	
1/2"	IS38-16 6PT	IS38-16 6PT WO	IS38-16L 6PT	IS38-16L 6PTWO	
9/16"	IS38-18 6PT	IS38-18 6PT WO	IS38-18L 6PT	IS38-18L 6PT WO	
5/8"	IS38-20 6PT	IS38-20 6PT WO	IS38-20L 6PT	IS38-20L 6PT WO	
11/16"	IS38- 22 6PT	IS38-22 6PT WO	IS38-22L 6PT	IS38-22L 6PT WO	
3/4"	IS38-24 6PT	IS38-24 6PT WO	IS38-24L 6PT	IS38-24L 6PT WO	
13/16"	IS38-26 6PT	IS38-26 6PT WO	IS38-26L 6PT	IS38-26L 6PT WO	
7/8"	IS38-28 6PT	IS38-28 6PT WO	IS38-28L 6PT	IS38-28L 6PT WO	
15/16"	IS38-30 6PT	IS38-30 6PT WO	IS38-30L 6PT	IS38-30L 6PT WO	
1"	IS38-32 6PT	IS38-32 6PT WO	IS38-32L 6PT	IS38-32L 6PT WO	

12 Point



SIZE__	STANDARD WALL			DEEP WALL	
	STD WALL	FLUSH CONNECT	DEEP WALL	FLUSH CONNECT	
1/4"	IS38-08	IS38-08 12PT WO	IS38-08L	IS38-08L 12PT WO	
9/32"	IS38-09	IS38-09 12PT WO	IS38-09L	IS38-09L 12PT WO	
5/16"	IS38-10	IS38-10 12PT WO	IS38-10L	IS38-10L 12PT WO	
11/32"	IS38-11	IS38-11 12PT WO	IS38-11L	IS38-11L 12PT WO	
3/8"	IS38-12	IS38-12 12PT WO	IS38-12L	IS38-12L 12PT WO	
7/16"	IS38-14	IS38-14 12PT WO	IS38-14L	IS38-14L 12PT WO	
1/2"	IS38-16	IS38-16 12PT WO	IS38-16L	IS38-16L 12PT WO	
9/16"	IS38-18	IS38-18 12PT WO	IS38-18L	IS38-18L 12PT WO	
5/8"	IS38-20	IS38-20 12PT WO	IS38-20L	IS38-20L 12PT WO	
11/16"	IS38-22	IS38- 22 12PT WO	IS38-22L	IS38-22L 12PT WO	
3/4"	IS38-24	IS38-24 12PT WO	IS38-24L	IS38-24L 12PT WO	
13/16"	IS38-26	IS38-26 12PT WO	IS38-26L	IS38-26L 12PT WO	
7/8"	IS38-28	IS38-28 12PT WO	IS38-28L	IS38-28L 12PT WO	
15/16"	IS38-30	IS38-30 12PT WO	IS38-30L	IS38-30L 12PT WO	
1"	IS38-32	IS38-32 12PT WO	IS38-32L	IS38-32L 12PT WO	
1-1/16"	IS38-34	IS38-34 12PT WO	IS38-34L	IS38-34L 12PT WO	
1-1/8"	IS38-36	IS38-36 12PT WO	IS38-36L	IS38-36L 12PT WO	

3/8" Square Drive: Metric



6 Point

<u>SIZE</u>	<u>STD WALL</u>	<u>STANDARD WALL FLUSH CONNECT</u>	<u>DEEP WALL</u>
5mm	IS38-05M 6PT	IS38-05MM 6PT WO	IS38-05ML 6PT
6mm	IS38-06M 6PT	IS38-06MM 6PT WO	IS38-06ML 6PT
7mm	IS38-07M 6PT	IS38-07MM 6PT WO	IS38-07ML 6PT
8mm	IS38-08M 6PT	IS38-08MM 6PT WO	IS38-08ML 6PT
9mm	IS38-09M 6PT	IS38-09MM 6PT WO	IS38-09ML 6PT
10mm	IS38-10M 6PT	IS38-10MM 6PT WO	IS38-10ML 6PT
11mm	IS38-11M 6PT	IS38-11MM 6PT WO	IS38-11ML 6PT
12mm	IS38-12M 6PT	IS38-12MM 6PT WO	IS38-12ML 6PT
13mm	IS38-13M 6PT	IS38-13MM 6PT WO	IS38-13ML 6PT
14mm	IS38-14M 6PT	IS38-14MM 6PT WO	IS38-14ML 6PT
15mm	IS38-15M 6PT	IS38-15MM 6PT WO	IS38-15ML 6PT
16mm	IS38-16M 6PT	IS38-16MM 6PT WO	IS38-16ML 6PT
17mm	IS38-17M 6PT	IS38-17MM 6PT WO	IS38-17ML 6PT
18mm	IS38-18M 6PT	IS38-18MM 6PT WO	IS38-18ML 6PT
19mm	IS38-19M 6PT	IS38-19MM 6PT WO	IS38-19ML 6PT
20mm	IS38-20M 6PT	IS38-20MM 6PT WO	IS38-20ML 6PT
21mm	IS38-21M 6PT	IS38-21MM 6PT WO	IS38-21ML 6PT
22mm	IS38-22M 6PT	IS38-22MM 6PT WO	IS38-22ML 6PT



12 Point

<u>SIZE</u>	<u>STD WALL</u>	<u>STANDARD WALL FLUSH CONNECT</u>	<u>DEEP WALL</u>	<u>DEEP WALL FLUSH CONNECT</u>
5mm	IS38-05M	IS38-05MM 12PT WO	IS38-05ML	IS38-05ML 12PT WO
6mm	IS38-06M	IS38-06MM 12PT WO	IS38-06ML	IS38-06ML 12PT WO
7mm	IS38-07M	IS38-07MM 12PT WO	IS38-07ML	IS38-07ML 12PT WO
8mm	IS38-08M	IS38-08MM 12PT WO	IS38-08ML	IS38-08ML 12PT WO
9mm	IS38-09M	IS38-09MM 12PT WO	IS38-09ML	IS38-09ML 12PT WO
10mm	IS38-10M	IS38-10MM 12PT WO	IS38-10ML	IS38-10ML 12PT WO
11mm	IS38-11M	IS38-11MM 12PT WO	IS38-11ML	IS38-11ML 12PT WO
12mm	IS38-12M	IS38-12MM 12PT WO	IS38-12ML	IS38-12ML 12PT WO
13mm	IS38-13M	IS38-13MM 12PT WO	IS38-13ML	IS38-13ML 12PT WO
14mm	IS38-14M	IS38-14MM 12PT WO	IS38-14ML	IS38-14ML 12PT WO
15mm	IS38-15M	IS38-15MM 12PT WO	IS38-15ML	IS38-15ML 12PT WO
16mm	IS38-16M	IS38-16MM 12PT WO	IS38-16ML	IS38-16ML 12PT WO
17mm	IS38-17M	IS38-17MM 12PT WO	IS38-17ML	IS38-17ML 12PT WO
18mm	IS38-18M	IS38-18MM 12PT WO	IS38-18ML	IS38-18ML 12PT WO
19mm	IS38-19M	IS38-19MM 12PT WO	IS38-19ML	IS38-19ML 12PT WO
20mm	IS38-20M	IS38-20MM 12PT WO	IS38-20ML	IS38-20ML 12PT WO
21mm	IS38-21M	IS38-21MM 12PT WO	IS38-21ML	IS38-21ML 12PT WO
22mm	IS38-22M	IS38-22MM 12PT WO	IS38-22ML	IS38-22ML 12PT WO
23mm	IS38-23M	IS38-23MM 12PT WO	IS38-23ML	IS38-23ML 12PT WO
24mm	IS38-24M	IS38-24MM 12PT WO	IS38-24ML	IS38-24ML 12PT WO
25mm	IS38-25M	IS38-25MM 12PT WO	IS38-25ML	IS38-25ML 12PT WO
26mm	IS38-26M	IS38-26MM 12PT WO	IS38-26ML	IS38-26ML 12PT WO

Sockets

RATED
 1000 VAC / 1500 VDC

Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

1/2" Square Drive: SAE



6 Point

STANDARD WALL

DEEP WALL

SIZE	STD WALL	FLUSH CONNECT	DEEP WALL	FLUSH CONNECT
3/8"	IS12-12 6PT	IS12-12 6PT WO	IS12-12L 6PT	IS12-12L 6PT WO
7/16"	IS12-14 6PT	IS12-14 6PT WO	IS12-14L 6PT	IS12-14L 6PT WO
1/2"	IS12-16 6PT	IS12-16 6PT WO	IS12-16L 6PT	IS12-16L 6PT WO
9/16"	IS12-18 6PT	IS12-18 6PT WO	IS12-18L 6PT	IS12-18L 6PT WO
5/8"	IS12-20 6PT	IS12-20 6PT WO	IS12-20L 6PT	IS12-20L 6PT WO
11/16"	IS12-22 6PT	IS12-22 6PT WO	IS12-22L 6PT	IS12-22L 6PT WO
3/4"	IS12-24 6PT	IS12-24 6PT WO	IS12-24L 6PT	IS12-24L 6PT WO
13/16"	IS12-26 6PT	IS12-26 6PT WO	IS12-26L 6PT	IS12-26L 6PT WO
7/8"	IS12-28 6PT	IS12-28 6PT WO	IS12-28L 6PT	IS12-28L 6PT WO
15/16"	IS12-30 6PT	IS12-30 6PT WO	IS12-30L 6PT	IS12-30L 6PT WO
1"	IS12-32 6PT	IS12-32 6PT WO	IS12-32L 6PT	IS12-32L 6PT WO
1-1/16"	IS12-34 6PT	IS12-34 6PT WO	IS12-34L 6PT	IS12-34L 6PT WO
1-1/8"	IS12-36 6PT	IS12-36 6PT WO	IS12-36L 6PT	IS12-36L 6PT WO
1-3/16"	IS12-38 6PT	IS12-38 6PT WO	IS12-38L 6PT	IS12-38L 6PT WO
1-1/4"	IS12-40 6PT	IS12-40 6PT WO	IS12-40L 6PT	IS12-40L 6PT WO
1-5/16"	IS12-42 6PT	IS12-42 6PT WO	IS12-42L 6PT	IS12-42L 6PT WO
1-3/8"	IS12-44 6PT	IS12-44 6PT WO	IS12-44L 6PT	IS12-44L 6PT WO
1-7/16"	IS12-46 6PT	IS12-46 6PT WO	IS12-46L 6PT	IS12-46L 6PT WO
1-1/2"	IS12-48 6PT	IS12-48 6PT WO	IS12-48L 6PT	IS12-48L 6PT WO
1-9/16"	IS12-50 6PT	IS12-50 6PT WO	IS12-50L 6PT	IS12-50L 6PT WO

12 Point

STANDARD WALL

DEEP WALL

SIZE	STD WALL	FLUSH CONNECT	DEEP WALL	FLUSH CONNECT
1/4"	IS12-08	IS12-08 12PT WO	IS12-08L	IS12-08L 12PT WO
5/16"	IS12-10	IS12-10 12PT WO	IS12-10L	IS12-10L 12PT WO
3/8"	IS12-12	IS12-12 12PT WO	IS12-12L	IS12-12L 12PT WO
7/16"	IS12-14	IS12-14 12PT WO	IS12-14L	IS12-14L 12PT WO
1/2"	IS12-16	IS12-16 12PT WO	IS12-16L	IS12-16L 12PT WO
9/16"	IS12-18	IS12-18 12PT WO	IS12-18L	IS12-18L 12PT WO
5/8"	IS12-20	IS12-20 12PT WO	IS12-20L	IS12-20L 12PT WO
11/16"	IS12-22	IS12-22 12PT WO	IS12-22L	IS12-22L 12PT WO
3/4"	IS12-24	IS12-24 12PT WO	IS12-24L	IS12-24L 12PT WO
13/16"	IS12-26	IS12-26 12PT WO	IS12-26L	IS12-26L 12PT WO
7/8"	IS12-28	IS12-28 12PT WO	IS12-28L	IS12-28L 12PT WO
15/16"	IS12-30	IS12-30 12PT WO	IS12-30L	IS12-30L 12PT WO
1"	IS12-32	IS12-32 12PT WO	IS12-32L	IS12-32L 12PT WO
1-1/16"	IS12-34	IS12-34 12PT WO	IS12-34L	IS12-34L 12PT WO
1-2/8"	IS12-36	IS12-36 12PT WO	IS12-36L	IS12-36L 12PT WO
1-3/16"	IS12-38	IS12-38 12PT WO	IS12-38L	IS12-38L 12PT WO
1-1/4"	IS12-40	IS12-40 12PT WO	IS12-40L	IS12-40L 12PT WO
1-5/16"	IS12-42	IS12-42 12PT WO	IS12-42L	IS12-42L 12PT WO
1-3/8"	IS12-44	IS12-44 12PT WO	IS12-44L	IS12-44L 12PT WO
1-7/16"	IS12-46	IS12-46 12PT WO	IS12-46L	IS12-46L 12PT WO
1-1/2"	IS12-48	IS12-48 12PT WO	IS12-48L	IS12-48L 12PT WO
1-9/16"	IS12-50	IS12-50 12PT WO	IS12-50L	IS12-50L 12PT WO
1-5/8"	IS12-52	IS12-52 12PT WO	IS12-52L	IS12-52L 12PT WO
1-11/16"	IS12-54	IS12-54 12PT WO	IS12-54L	IS12-54L 12PT WO
1-3/4"	IS12-56	IS12-56 12PT WO	IS12-56L	IS12-56L 12PT WO

1/2" Square Drive: Metric

6 Point

<u>SIZE</u>	<u>STD WALL</u>	<u>DEEP WALL</u>
7mm	IS12-7M 6PT	IS12-7ML 6PT
8mm	IS12-8M 6PT	IS12-8ML 6PT
9mm	IS12-9M 6PT	IS12-9ML 6PT
10mm	IS12-10M 6PT	IS12-10ML 6PT
11mm	IS12-11M 6PT	IS12-11ML 6PT
12mm	IS12-12M 6PT	IS12-12ML 6PT
13mm	IS12-13M 6PT	IS12-13ML 6PT
14mm	IS12-14M 6PT	IS12-14ML 6PT
15mm	IS12-15M 6PT	IS12-15ML 6PT
16mm	IS12-16M 6PT	IS12-16ML 6PT
17mm	IS12-17M 6PT	IS12-17ML 6PT
18mm	IS12-18M 6PT	IS12-18ML 6PT
19mm	IS12-19M 6PT	IS12-19ML 6PT
20mm	IS12-20M 6PT	IS12-20ML 6PT
21mm	IS12-21M 6PT	IS12-21ML 6PT
22mm	IS12-22M 6PT	IS12-22ML 6PT
23mm	IS12-23M 6PT	IS12-23ML 6PT
24mm	IS12-24M 6PT	IS12-24ML 6PT
25mm	IS12-25M 6PT	IS12-25ML 6PT
26mm	IS12-26M 6PT	IS12-26ML 6PT
27mm	IS12-27M 6PT	IS12-27ML 6PT
28mm	IS12-28M 6PT	IS12-28ML 6PT
29mm	IS12-29M 6PT	IS12-29ML 6PT
30mm	IS12-30M 6PT	IS12-30ML 6PT
32mm	IS12-32M 6PT	IS12-32ML 6PT
36mm	IS12-36M 6PT	IS12-36ML 6PT



12 Point

<u>STD WALL</u>	<u>DEEP WALL</u>
IS12-07MM	IS12-07ML
IS12-08MM	IS12-08ML
IS12-09M	IS12-09ML
IS12-10M	IS12-10ML
IS12-11M	IS12-11ML
IS12-12M	IS12-12ML
IS12-13M	IS12-13ML
IS12-14M	IS12-14ML
IS12-15M	IS12-15ML
IS12-16M	IS12-16ML
IS12-17M	IS12-17ML
IS12-18M	IS12-18ML
IS12-19M	IS12-19ML
IS12-20M	IS12-20ML
IS12-21M	IS12-21ML
IS12-22M	IS12-22ML
IS12-23M	IS12-23ML
IS12-24M	IS12-24ML
IS12-25M	IS12-25ML
IS12-26M	IS12-26ML
IS12-27M	IS12-27ML
IS12-28M	IS12-28ML
IS12-29M	IS12-29ML
IS12-30M	IS12-30ML
IS12-32M	IS12-32ML
IS12-36M	



Hex Bit Sockets



1/4" Square Drive

SAE

SIZE	3" LENGTH	6" LENGTH
1/8"	IH14-04	IH14-04XL
5/32"	IH14-05	IH14-05XL
3/16"	IH14-06	IH14-06XL
7/32"	IH14-07	IH14-07XL
1/4"	IH14-08	IH14-08XL
5/16"	IH14-10	IH14-10XL
3/8"	IH14-12	IH14-12XL
7/16"	IH14-14	IH14-14XL
1/2"	IH14-16	IH14-16XL

Metric

SIZE	3" LENGTH	6" LENGTH
2mm	IH14-02M	IH14-02MXL
2.5mm	IH14-2.5M	IH14-2.5MXL
3mm	IH14-03M	IH14-03MXL
4mm	IH14-04M	IH14-04MXL
5mm	IH14-05M	IH14-05MXL
6mm	IH14-06M	IH14-06MXL
7mm	IH14-07M	IH14-07MXL
8mm	IH14-08M	IH14-08MXL

3/8" Square Drive

SAE

SIZE	3" LENGTH	6" LENGTH
1/8"	IH38-04	IH38-04XL
9/64"	IH38-4.5	IH38-4.5XL
5/32"	IH38-05	IH38-05XL
3/16"	IH38-06	IH38-06XL
7/32"	IH38-07	IH38-07XL
1/4"	IH38-08	IH38-08XL
5/16"	IH38-10	IH38-10XL
3/8"	IH38-12	IH38-12XL
7/16"	IH38-14	IH38-14XL
1/2"	IH38-16	IH38-16XL
9/16"	IH38-18	IH38-18XL
5/8"	IH38-20	IH38-20XL
11/16"	IH38-22	IH38-22XL
3/4"	IH38-24	IH38-24XL
7/8"	IH38-28	IH38-28XL

Metric

SIZE	3" LENGTH	6" LENGTH
2mm	IH38-02M	IH38-02MXL
2.5mm	IH38-2.5M	IH38-2.5MXL
3mm	IH38-03M	IH38-03MXL
4mm	IH38-04M	IH38-04MXL
5mm	IH38-05M	IH38-05MXL
6mm	IH38-06M	IH38-06MXL
7mm	IH38-07M	IH38-07MXL
8mm	IH38-08M	IH38-08MXL
9mm	IH38-09M	IH38-09MXL
10mm	IH38-10M	IH38-10MXL
11mm	IH38-11M	IH38-11MXL
12mm	IH38-12M	IH38-12MXL
13mm	IH38-13M	IH38-13MXL
14mm	IH38-14M	IH38-14MXL

1/2" Square Drive

SAE

SIZE	3" LENGTH	6" LENGTH
1/4"	IH12-08	IH12-08XL
5/16"	IH12-10	IH12-10XL
3/8"	IH12-12	IH12-12XL
7/16"	IH12-14	IH12-14XL
1/2"	IH12-16	IH12-16XL
9/16"	IH12-18	IH12-18XL
5/8"	IH12-20	IH12-20XL
11/16"	IH12-22	IH12-22XL
3/4"	IH12-24	IH12-24XL

Metric

SIZE	3" LENGTH	6" LENGTH
6mm	IH12-06M	IH12-06MXL
8mm	IH12-08M	IH12-08MXL
10mm	IH12-10M	IH12-10MXL
12mm	IH12-12M	IH12-12MXL
14mm	IH12-14M	IH12-14MXL
16mm	IH12-16M	IH12-16MXL
17mm	IH12-17M	IH12-17MXL





Flat Tip Screw Driver Bit Sockets

1/4" Square Drive

SIZE	3" LENGTH	6" LENGTH
1/4"	IF14-140	IF14-140XL
5/16"	IF14-516	IF14-516XL
3/8"	IF14-380	IF14-380XL
1/2"	-	-

3/8" Square Drive

3" LENGTH	6" LENGTH
IF38-140	IF38-140XL
IF38-516	IF38-516XL
IF38-380	IF38-380XL
-	-

1/2" Square Drive

3" LENGTH	6" LENGTH
IF12-140L	IF12-140XL
IF12-516L	IF12-516XL
IF12-380L	IF12-380XL
IF12-120L	IF12-120XL

Phillips Tip Screw Driver Bit Sockets

1/4" Square Drive

SIZE	3" LENGTH	6" LENGTH
#1	IP14-01	IP14-01XL
#2	IP14-02	IP14-02XL
#3	IP14-03	IP14-03XL
#4	-	-

3/8" Square Drive

3" LENGTH	6" LENGTH
IP38-01	IP38-01XL
IP38-02	IP38-02XL
IP38-03	IP38-03XL
-	-

1/2" Square Drive

3" LENGTH	6" LENGTH
IP12-01L	IP12-01XL
IP12-02L	IP12-02XL
IP12-03L	IP12-03XL
IP12-04L	IP12-04XL

Torx® Bit Sockets

1/4" Square Drive

SIZE	3" LENGTH	6" LENGTH
08	IT14-T8	IT14-T8L
10	IT14-T10	IT14-T10L
15	IT14-T15	IT14-T15L
20	IT14-T20	IT14-T20L
25	IT14-T25	IT14-T25L
27	IT14-T27	IT14-T27L
30	IT14-T30	IT14-T30L
40	-	-
45	-	-
50	-	-
55	-	-

3/8" Square Drive

3" LENGTH	6" LENGTH
-	-
IT38-T10	IT38-T10XL
IT38-T15	IT38-T15XL
IT38-T20	IT38-T20XL
IT38-T25	IT38-T25XL
IT38-T27	IT38-T27XL
IT38-T30	IT38-T30XL
IT38-T40	IT38-T40XL
IT38-T45	IT38-T45XL
IT38-T50	IT38-T50XL
IT38-T55	IT38-T55XL

1/2" Square Drive

3" LENGTH	6" LENGTH
-	-
-	-
-	-
-	-
-	-
IT12-T27L	IT12-T27XL
IT12-T30L	IT12-T30XL
IT12-T40L	IT12-T40XL
IT12-T45L	IT12-T45XL
IT12-T50L	IT12-T50XL
IT12-T55L	IT12-T55XL

1/4" Square Drive Sets



SAE

ISS14-9L

IR14-LC: 1/4" Square Drive Ratchet
Extension Bars: 2", 3", 6"
6-Point Deep Wall Sockets: 3/16", 1/4", 5/16", 3/8", 7/16"
1/4" SqDr Skt Set Pouch

ISS14-13

IR14-LC: 1/4" Square Drive Ratchet
Extension Bars: 3", 6"
6-Point Standard Wall Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
1/4" SqDr Skt Set Pouch

ISS14-13L

IR14-LC: 1/4" Square Drive Ratchet
Extension Bars: 3", 6"
6-Point Deep Wall Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
1/4" SqDr Skt Set Pouch

ISS14-14

IR14-LC: 1/4" Square Drive Ratchet
Extension Bars: 3", 6"
6-Point Standard Wall Sockets: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
1/4" SqDr Skt Set Pouch



ISS14-13L

Metric

ISS14-13M

IR14-LC: 1/4" Square Drive Ratchet
Extension Bars: 2", 3", 6"
6-Point Standard Wall Sockets: 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm,
1/4" SqDr Skt Set Pouch

ISS14-13ML

IR14-LC: 1/4" Square Drive Ratchet
Extension Bars: 2", 3", 6"
6-Point Deep Wall Sockets: 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 15mm
1/4" SqDr Skt Set Pouch

ISS14-14M

IR14-LC: 1/4" Square Drive Ratchet
Extension Bars: 3", 6"
6-Point Standard Wall Sockets: 4mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm
1/4" SqDr Skt Set Pouch



IHBS14-6

Hex Bit

IHBS14-6

3" SAE Hex Bit Sockets: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16"
Zippered Pouch

Combo

ISS14-18

IR14-LC: 1/4" Square Drive Ratchet
Extension Bars: 2", 6"
6-Point Standard Wall Sockets: 3/16", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
3" SAE Hex Bit Sockets: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16"
1/4" SqDr Skt Set Pouch



ISS14-18

12 - Point Standard Wall - SAE



3/8" Square Drive Sets

ISS38-8

Extension Bars: 3"
12-Point Standard Wall Sockets: 7/16",
1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
Driver Roll Pouch 6

ISS38-812

TW38DR-12: 3/8" Drive 12" T-Handle
12-Point Standard Wall Sockets: 3/8",
1/2", 9/16", 5/8", 3/4", 7/8"
T-Handle and Bag, Long

ISS38-9

IR38-LC: 3/8" Square Drive Ratchet
12-Point Standard Wall Sockets: 3/8", 7/16",
1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
Zippered Pouch

ISS38-10

12-Point Standard Wall Sockets: 5/16",
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4",
13/16", 7/8"
Zippered Pouch

ISS38-11

IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6"
12-Point Standard Wall Sockets: 3/8",
7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
Driver Roll Pouch 6

ISS38-14

IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6"
12-Point Standard Wall Sockets: 3/8",
7/16", 1/2", 9/16", 5/8", 11/16", 3/4",
13/16", 7/8", 15/16", 1"
Driver Roll Pouch 6



ISS38-11

12 - Point Deep Wall - SAE

ISS38-11L

IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6"
12-Point Deep Wall Sockets: 3/8", 7/16",
1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
Driver Roll Pouch 6

ISS38-11L-SO

12-Point Deep Wall Sockets: 3/8", 7/16", 1/2",
9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
Driver Roll Pouch 6

ISS38-12FTW

1575TW38F: 3/8" Square Drive 15-75 Ft. Lb. Torque Wrench
Extension Bars: 3", 6"
12-Point Deep Wall Sockets: 3/8", 7/16", 1/2",
9/16", 5/8", 11/16", 3/4", 13/16"
Pocket Pouch 12

ISS38-13L

IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6"
12-Point Deep Wall Sockets: 5/16", 3/8", 7/16",
1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
Driver Roll Pouch 6



ISS38-16L

ISS38-16L

IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6"
12-Point Deep Wall Sockets: 1/4", 5/16", 3/8", 7/16",
1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
Blow Molded Case, Small

3/8" Square Drive Sets



6 - Point Deep Wall - SAE

ISS38-12L 6PT

30150TW38L: 3/8" Square Drive 30-150 Inch Lb. Torque Wrench
Extension Bars: 3"
6-Point Deep Walled Sockets: 1/4", 5/16", 3/8",
7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8"
Driver Roll Pouch 6

12 - Point Standard Wall Flush Connect - SAE

ISS38-8WO

12-Point Standard Wall Flush Connect Sockets:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
Zippered Pouch

ISS38-16 W/O

IR38-LC: 3/8" Square Drive Ratchet
Flush Connect Extension Bars: 3", 6"
12-Point Standard Wall Flush Connect Sockets: 1/4", 5/16",
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

12 - Point Standard Wall - Metric



ISS38-10M

ISS38-4M

IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6"
12-Point Standard Wall Sockets:
10mm, 13mm, 17mm, 19mm

ISS38-8M

IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6"
12-Point Standard Wall Sockets:
9mm, 10mm, 11mm, 12mm, 13mm,
Driver Roll Pouch 6

ISS38-11M

IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6"
12-Point Standard Wall Sockets: 10mm, 12mm,
13mm, 14mm, 15mm, 16mm, 18mm, 19mm
Driver Roll Pouch 6

ISS38-9M

IR38-LC: 3/8" Square Drive Ratchet
12-Point Standard Wall Sockets: 10mm, 12mm,
13mm, 14mm, 15mm, 16mm, 18mm, 19mm
Driver Roll Pouch 6

ISS38-10M

12-Point Standard Wall Sockets: 10mm, 11mm, 12mm,
13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm
Zippered Pouch

ISS38-13M

IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3"
12-Point Standard Wall Sockets: 10mm, 11mm, 12mm,
13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 22mm,
Driver Roll Pouch 8

12 - Point Deep Wall - Metric

ISS38-10ML

12-Point Deep Wall Sockets: 10mm, 11mm, 12mm,
13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm
Driver Roll Pouch 6



ISS38-10ML

ISS38-13ML

IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3"
12-Point Deep Wall Sockets: 10mm, 11mm,
12mm, 13mm, 14mm, 15mm, 16mm, 17mm,
18mm, 19mm, 22mm
Driver Roll Pouch 8

ISS38-13ML SO

12-Point Deep Wall Sockets: 10mm,
11mm, 12mm, 13mm, 14mm, 15mm, 16mm,
17mm, 18mm, 19mm, 20mm, 21mm, 22mm
Driver Roll Pouch 6

ISS38-14ML

IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6"
12-Point Deep Wall Sockets: 9mm,
10mm, 11mm, 12mm, 13mm, 14mm,
15mm, 16mm, 17mm, 18mm, 19mm
Driver Roll Pouch 6

ISS38-15ML

IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6"
12-Point Deep Wall Sockets: 7mm,
8mm, 9mm, 10mm, 11mm, 12mm,
13mm, 14mm, 15mm, 16mm, 17mm,
18mm, 19mm
Driver Roll Pouch 6

ISS38-19M

IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6"
12-Point Deep Wall Sockets: 10mm,
11mm, 12mm, 13mm, 14mm, 15mm,
16mm, 17mm, 18mm, 19mm, 20mm,
21mm, 22mm
Driver Roll Pouch 6

6 - Point Standard Wall - Metric

ISS38-16M

6-Point Standard Wall Sockets: 17mm, 18mm,
19mm, 20mm, 21mm, 22mm
Zippered Pouch

ISS38-19M 6PT

IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6"
6-Point Standard Wall Sockets: 10mm, 11mm, 12mm, 13mm,
14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm
Driver Roll Pouch 6

6 - Point Deep Wall - Metric

ISS38-3ML

6-Point Deep Wall Sockets: 6mm, 7mm, 8mm,
Zippered Pouch

ISS38-11ML

6-Point Deep Wall Sockets: 9mm, 10mm, 11mm,
12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm
Zippered Pouch

12 - Point Standard Wall Flush Connect - Metric

ISS38-16M WO

IR38-LC-SD: 3/8" Square Drive Short Drive Ratchet
Flush Connect Extension Bars: 3", 6"
12-Point Standard Wall Flush Connect Sockets: 7mm, 8mm, 9mm,
10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm
Snap Closure Case 601, 14" X 6-1/4" X 2-1/2"

3/8" Square Drive Hex Bit Socket Sets



ISHS38-5

Torque

IHSS38-7TW

Torque Wrench:

3/8" Square Drive 30-150 Inch Lbs
3" Hex Bit Sockets: 5/16", 3/8", 7/16"
6" Hex Bit Sockets: 5/16", 3/8", 7/16"
Zippered Pouch

6" Length

IHBS38-7XL

6" Hex Bit Sockets: 1/8", 3/16",
1/4", 5/16", 3/8", 7/16", 1/2"
Zippered Pouch

IHBS38-9XL

6" Hex Bit Sockets: 1/8", 5/32", 3/16",
7/32", 1/4", 5/16", 3/8", 7/16", 1/2"
Zippered Pouch

SAE 3" Length

IHBS38-4

3" Hex Bit Sockets: 1/4", 5/16", 3/8", 7/16"
Zippered Pouch

ISHS38-5

IR38-LC: 3/8" Square Drive Ratchet
3" Hex Bit Sockets: 3/16", 1/4", 5/16", 3/8"
Zippered Pouch

IHBS38-7

3" Hex Bit Sockets: 1/8", 3/16",
1/4", 5/16", 3/8", 7/16", 1/2"
Zippered Pouch

IHBS38-9

3" Hex Bit Sockets: 1/8", 5/32", 3/16",
7/32", 1/4", 5/16", 3/8", 7/16", 1/2"
Zippered Pouch

IHBS38-13

IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6"
3" Hex Bit Sockets: 1/8", 9/64", 5/32",
3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2"
Pocket Pouch 8

Metric

IHBS38-8M

3" Hex Bit Sockets: 6mm, 7mm,
8mm, 9mm, 10mm, 11mm, 12mm, 14mm
Zippered Pouch

IHBS38-9M

3" Hex Bit Sockets: 2mm, 2.5mm, 3mm,
4mm, 5mm, 6mm, 7mm, 8mm, 9mm
Zippered Pouch

Combo

ISHS-20L

IR38-LC-SD: 3/8" Square Drive, Short Drive Ratchet
Flush Connect Extension Bars: 3", 6"
3" Hex Bit Sockets: 1/8", 5/32",
3/16", 7/32", 1/4", 5/16", 3/8",
12-Point Deep Wall Flush Connect SAE Sockets: 3/8"
7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
Blow Molded Case, Small

*also available with all 6 Point Sockets (ISHS-20L 6PT)

ISHS-30L

IR38-LC-SD: 3/8" Square Drive, Short Drive Ratchet
Flush Connect Extension Bars: 3", 6"
3" Hex Bit Sockets: 1/8", 5/32",
3/16", 7/32", 1/4", 5/16", 3/8",
12-Point Standard Wall Flush Connect SAE Sockets: 3/8"
7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"
12-Point Deep Wall Flush Connect SAE Sockets: 3/8"
7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"
Snap Closure Case 701, 17-1/2" X 7-3/4" X 2-1/2"

*also available with all 6 Point Sockets (ISHS-30L 6PT)



ISHS-30L



SAE

ISS12-11L-SO

12-Point Deep Walled Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
Driver Roll Pouch 6

ISS12-12

IR12-LC: 1/2" Square Drive Ratchet
Extension Bars: 5", 10"
12-Point Standard Wall Sockets: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
Driver Roll Pouch 6

ISS12-12L

IR12-LC: 1/2" Square Drive Ratchet
Extension Bars: 5", 10"
12-Point Deep Walled Sockets: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
Pocket Pouch 12



Socket Sets

Flush Connect

ISS12-21 W/O

IR12-LC: 1/2" Square Drive Ratchet
Flush Connect Extension Bars: 5"
12-Point Standard Wall Flush Connect Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 1", 1-1/16", 1-1/8", 1-5/16", 1-3/8", 1-7/16", 1-1/2"
12-Point Deep Wall Flush Connect Sockets: 7/8", 15/16", 1-1/36", 1-1/4"
Snap Closure Case 701, 17-1/2" X 7-3/4" X 2-1/2"



ISS12-12

Metric

ISS12-12M

IR12-LC: 1/2" Square Drive Ratchet
Extension Bars: 5", 10"
12-Point Standard Wall Sockets: 12mm, 14mm, 16mm, 18mm, 19mm, 21mm, 22mm, 24mm, 25mm
Pocket Pouch 12

ISS12-18M

IR12-LC: 1/2" Square Drive Ratchet
Extension Bars: 5", 10"
12-Point Standard Wall Sockets: 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm
Pocket Pouch 12

Hex Bit

IHBS12-6

3" Hex Bit Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16"

IHBS12-8

3" Hex Bit Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"
Driver Roll Pouch 6

IHBS12-9

3" Hex Bit Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
Driver Roll Pouch 6

Combo

ISHC12-17M

-Metric

IR12-LC: 1/2" Square Drive Ratchet
TW12-DR: 1/2" Square Drive T-Handle Wrench
Extension Bars: 5"
3" Hex Bit Sockets: 8mm, 10mm, 12mm, 14mm, 17mm
12-Point Standard Wall Sockets: 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 17mm, 19mm
20" Tool Box

ISHS12-25M

IR12-LC: 1/2" Square Drive Ratchet
TW12-DR: 1/2" Square Drive T-Handle Wrench
Extension Bars: 5"
3" Hex Bit Sockets: 6mm, 8mm, 10mm, 12mm, 14mm, 16mm, 17mm, 20mm
12-Point Standard Wall Sockets: 10mm, 11mm, 12mm, 13mm, 14mm, 16mm, 17mm, 19mm, 21mm, 22mm, 24mm, 25mm, 27mm, 28mm
20" Tool Box - Driver Roll Pouch 6 - Zippered Pouch

ISHS12-13 -SAE

Extension Bars: 5"
3" Hex Bit Sockets: 5/16", 3/8", 7/16", 1/2"
12-Point Standard Wall Sockets: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"
Snap Closure Case 601, 14" X 6-1/4" X 2-1/2"

ISHS-25

IR12-LC: 1/2" Square Drive Ratchet
TW12-DR: 1/2" Square Drive T-Handle Wrench
Extension Bars: 5"
3" Hex Bit Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"
12-Point Standard Wall Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
20" Tool Box

1000 VAC / 1500 VDC

Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

Flashlights



FLED-7I



PN _____ **DESC** _____

- FLAAA-5I..... Thin Mini Voltage Rated Flashlight
 FLAA-6I..... Mini Voltage Rated Flashlight
 FLED-7I..... LED Mini Voltage Rated Flashlight
 FLF-18I..... LED Mini Voltage Rated Flashlight with 18"
 Flexible Wand
 FL-O..... Micro Flashlight with non-metallic case
 (Orange)

FLAA-6I



Inspection Mirrors



IM-325I



IMR-225I



PN _____ **DESC** _____

- IM-225I..... 2-1/4" Round Inspection Mirror
 IM-325I..... 3-1/4" Round Inspection Mirror
 IM-325I-F..... 3-1/4" Round Inspection Mirror with
 Flexible Handle

- IM-225I-RM..... 2-1/4" Round Replacement Mirror
 IM-325I-RM..... 3-1/4" Round Replacement Mirror

- IMO-2I..... 2" Oval Inspection Mirror
 IMO-2I-RM..... 2" Oval Replacement Mirror

- IMR-225I..... 2-1/4" Rectangular Inspection Mirror
 IMR-225I-RM... 2-1/4" Rectangular Replacement Mirror

Magnetic Retrieving Tools



MRT-18



PN _____ **DESC** _____

- MRT-18... 18" Magnetic Retrieving Tool with 18"
 Flexible Wand

Fuse Pullers

PFP-1



PN _____ **DESC** _____

- PFP-0..... 5" Fuse Puller (without Guards)
 PFP-0G..... 7-1/4" Fuse Puller with Guards
 PFP-1..... 7-1/2" Fuse Puller (without Guards)
 PFP-2G..... 5" Fuse Puller with Guards
 PFP-3..... 11-3/4" Fuse Puller (without Guards)

Tubing Cutters

PN _____ DESC _____
TC-150....1-1/2" Capacity Tubing Cutter



Hack Saws

PN _____ DESC _____
HS15-1701..3-1/2" Cutting Depth Hack Saw
HS520-I....5-1/2" Cutting Depth Hack Saw



Measuring Tape

PN _____ DESC _____
CTM-33.... 33' Fully Non-Conductive
Fiberglass Measuring Tape



Hooks and Probes



PN _____ DESC _____
IBP-7..... Hook Pick
ICP-7..... Complex Pick
INP-7..... 90 Degree Pick
ISP-7..... Straight Pick
HNP100-4.... 4Pc Hook and Probe Set



Scratch Awls

PN _____ DESC _____
SA-35I.... 3-1/2" Shank Cushion Grip Scratch Awl
SA-6IL.... 6" Shank Cushion Grip Scratch Awl



Cable Scoring Tools

PN _____ DESC _____
CPR900.... 9" Cable Scoring Plier



Tweezers



PN	DESC
TZ5NT.....	5" Needle Tip
TZ5WT.....	5" Wide Tip
TZ6NT.....	6" Narrow Tip
TZ6NT45..	6" Bent Nose
TZ6-SNT...	6" Straight Narrow Tip
CPT-CP.....	6-7/8" Curved
CPT-RP.....	6" Round Point
CPT-SP.....	7" Straight

CPT-SP

Knives



PN	DESC
IEK10.....	Electrician's Knife with Cap
IEK20.....	9" Linesman's Knife
CSK-10*....	10" Skinning Knife
	* NOT A VOLTAGE RATED TOOL



IEK20



CSK-10



IEK10

Secure-A-Tool Lanyards

Like a fall harness for your tools. For those occasions when an accidental tool drop is not an option. Secure-A-Tool lanyards work in conjunction with equipped hand tools (with Loop); providing a secure leash between you and your tool.



PN	DESC
CPSTL-100.....	10" Secure-A-Tool Lanyard
CPSTL-105.....	10" Secure-A-Tool Lanyard with Elastic Strap
CPSTL-10W...	Lanyard Wrist Strap



Meter Popper

PN _____ DESC _____

CMP-10..... 10" Length



Valve Shroud Removal Tool

PN _____ DESC _____

IVSRT-1..... Valve Shroud Remover



IVSRT-1

Jumper Wrench

PN _____ DESC _____

JW200.....Jumper Wrench



Seal Breaker

PN _____ DESC _____

SB1-I.....Seal Breaker





TR-8BEK

TR-8BEK

Pliers: 9" Linesman's, 9" Cable Cutter
7-3/4" High Leverage, 8" Chain Nose
7-5/8" Solid Wire Stripper
Screwdrivers: 1/4" X 4-1/2" Mechanics Tip
3/16" X 6" Cabinet Tip, #2 X 4" Phillips Tip
Zippered Soft Case 8



TR-8BEK-CA

TR8-BEK with alternate Screwdriver mix
Screwdrivers:
3/16" X 4-1/2", 1/4" X 6" Cabinet Tip
#2 X 4" Robertson Tip
Zippered Soft Case 8



TR-8HH



TR-8PCSK

Pliers: 9" Linesman's, 7" Diagonal Cut
6" Chain Nose, 10" Crimping, 7" Plastic,
9-1/2" Wire Stripper with Crimper,
8" Plastic Fuse Puller
Tool Roll Pouch 8



TR-8HH

Pliers: 10" Water Pump,
9" Cable Cutter
Ratcheting Box End Wrenches:
8mm, 10mm, 13mm
Nut Drivers: 10mm X 3"
Screwdrivers:
5/16" X 6" Mechanics Tip
#2 X 4" Phillips Tip
Driver Roll Pouch 6

TR-8PCBK

Pliers: 8" Linesman's, 10" Water Pump,
6" Diagonal Cut, 6" Chain Nose
Screwdrivers: #1 X 3", #2 X 4" Phillips Tip
1/8" X 5" Slotted, 1/4" X 6" Cabinet Tip
Tool Roll Pouch 8

TR-9UEK

Pliers: "Aussie" 8" Linesman's,
7" Chain Nose, 7" Diagonal Cut,
9-1/2" Wire Stripper
Screwdrivers: 3/16" X 4-1/2",
3/16" X 6", 1/4" X 6" Cabinet Tip
#1 X 3", #2 X 4" Phillips Tip
Tool Roll Pouch 9



TR-9ELK-HD

TR-9HVAC TOOLKIT

6" Adjustable Wrench
8" Water Pump Plier
6" Screwdrivers: #1, #2 Phillips Tip
3/16", 1/4" Cabinet Tip,
6" Nut Drivers: 1/4", 5/16", 3/8"
Tool Roll Pouch 9

TR-9WR

Pliers: 9-1/2" Wire Stripper, 8" Chain Nose
8" Diagonal Cut, 8" Plastic Fuse Puller
Screwdrivers: #2 X 6" Phillips Tip
3/16" X 8", 1/4" X 8" Cabinet Tip
3" Nut Drivers: 8mm, 13mm
Tool Roll Pouch 10

TR-9ELK HD

Pliers: 9" Linesman's, 8" Chain Nose
8" Hardened Diagonal Cut, 10" Crimper,
7-5/8" Solid Wire Stripper
Screwdrivers: #1 X 3", #2 X 4" Phillips Tip
3/16" X 6", 1/4" X 6" Robertson Tip
Tool Roll Pouch 10



TR-9ELK

TR-9ELK

Pliers: 9" Linesman's, 7" Chain Nose
7" Diagonal Cut, 9-1/2" Wire Stripper
Screwdrivers: 3/16 X 4-1/2", 3/16 X 6"
1/4" X 6" Cabinet Tip
#1 X 3", #2 X 4" Phillips Tip
Tool Roll Pouch 9

TR-9ELK-SC

TR-9ELK in a Soft Case
Zippered Soft Case 8

TR-9ELK-C

TR-9ELK with alternate Screwdriver mix
Composite Screwdrivers: 3/16 X 5",
3/16 X 6", 1/4" X 6" Cabinet Tip
#1 X 5", #2 X 4" Phillips Tip
Tool Roll Pouch 9

TR-9ELK-CA

TR-9ELK with Robertson Tip Screwdrivers
replacing Phillips Tip
Robertson Tip Screwdrivers:
#1 X 4", #2 X 4"
Tool Roll Pouch 9

TR-9BEK-CA

TR-9ELK with alternate Screwdriver mix:
Screwdrivers: 1/4" X 6" Cabinet Tip
#1 X 3", #2 X 4" Phillips Tip
#1 X 4", #2 X 4" Robertson Tip
Tool Roll Pouch 9

TR-9ELKFP

TR-9ELK with
8" Plastic Fuse Puller replacing
#1 X 3" Phillips Tip
Tool Roll Pouch 9

TR-9BEK-CA-C

TR-9ELK replacing standard steel with
Composite Screwdriver mix:
Composite Screwdrivers:
#2 X 6" Robertson Tip
3/16 X 6", 1/4" X 6" Cabinet Tip
#1 X 5", #2 X 6" Phillips Tip
Tool Roll Pouch 9



Tool Rolls

TR-10MRK

Pliers: 8" Chain Nose, 8" Plastic Fuse Puller
2-1/2" Plug Wrench
Screwdrivers: #1 X 3, #2 X 4" Phillips Tip
3/16 X 6", 1/4" X 6" Cabinet Tip
6" Nut Drivers: 5/16", 3/8", 1/2"
Tool Roll Pouch 10

ITS-10ELT

Pliers: 8" Linesman's, 7" Diagonal Cut
8" Chain Nose, 8" Plastic Fuse Puller
10" Crimper, 9-1/2" Wire Stripper
9" Cable Cutter
Screwdrivers: 3/16 X 6"
1/4" X 6", Cabinet Tip,
#1 X 3", #2 X 4", #3 X 6" Phillips Tip
Tool Roll Pouch 10



TR-11ELK

TR-11ELK

Pliers: 9" Linesman's, 7" Chain Nose
7" Diagonal Cut, 9-1/2" Wire Stripper
Screwdrivers: 3/16 X 4-1/2", 3/16 X 6"
1/4" X 6" Cabinet Tip
#1 X 3", #2 X 4" Phillips Tip
3" Nut Drivers: 3/8", 7/16"
Tool Roll Pouch 11

TR-11GSK

Pliers: 8" Linesman's, 8" Chain Nose,
7" Diagonal Cut, 8" Plastic Fuse Puller
2-1/2" Plug Wrench
Cabinet Tip Screwdrivers: 1/8" X 5",
3/16 X 4-1/2", 1/4" X 6"
3" Nut Drivers: 5/16", 3/8", 1/2"
Tool Roll Pouch 11

ITP-11ABB-ATFS

Pliers: 7" Needle Nose, 6" Bent Needle Nose,
6" Diagonal Cut, 7-5/8" Solid Wire Stripper
Screwdrivers: 1/8" X 5",
3/16 X 4-1/2", 1/4" X 6" Cabinet Tip
#1 X 3", #2 X 4" Phillips Tip
#1 X 4", #2 X 4" Robertson Tip
Tool Roll Pouch 11

TR-12MRSK

Pliers: 9" Linesman's, 8" Chain Nose,
7" Diagonal Cut, 8" Plastic Fuse Puller
2-1/2" Plug Wrench
Cabinet Tip Screwdrivers: 1/8" X 5",
3/16 X 4-1/2", 3/16" X 6", 1/4" X 6"
3" Nut Drivers: 5/16", 3/8", 1/2"
MR Tool Roll Pouch 12

TR-12MS-C

Pliers: 9" Linesman's, 8" Chain Nose,
7" Diagonal Cut, 8" Plastic Fuse Puller
7" Reinforced Plastic
Composite Cabinet Tip Screwdrivers:
1/8" X 3", 3/16" X 6", 1/4" X 6"
Composite Robertson Tip Screwdrivers:
#2 X 6"
6" Composite Nut Drivers: 5/16", 3/8", 1/2"
MR Tool Roll Pouch 12



TR-12MRSK

TR-14 HINGED TOOLS

Pliers: 9" Linesman's, 7" Chain Nose,
7" Diagonal Cut, 9" Cable Cutter
7-5/8" Solid Wire Stripper, 10" Crimper
10", 12", 16", Water Pump Pliers
10" Ratcheting Cable Cutter
6" Mini Mag Light
Tool Roll Pouch 12



TR-14 HINGED TOOLS



TR-SSMK

Pliers: 9" Linesman's, 7" Diagonal Cut
7" Chain Nose, 8" Plastic Fuse Puller
10" Crimper, 9-1/2" Wire Stripper
7" Reinforced Plastic
2-1/2" Plug Wrench
Cabinet Tip Screwdrivers: 1/8" X 5",
3/16" X 4-1/2", 3/16" X 6", 1/4" X 6"
3" Nut Drivers: 3/16", 1/4", 5/16",
11/32", 3/8", 7/16", 1/2"
Tool Roll Pouch 8



TR-SSMK



IMBP-14

Pliers: 9" Linesman's, 7" Diagonal,
7" Chain Nose, 10" Water Pump
9-1/2" Wire Stripper
8" Adjustable Wrench
3" SAE Nut Drivers: 3/8", 1/2"
Screwdrivers:
1/8" X 5", 1/4" X 6" Cabinet Tip
5/16" X 6" Mechanics Tip
#2 X 4" Phillips Tip
1/4" X 9-3/4" Flat Tip Holding Screw Starter
Electrician's Knife with Cap
Belt Pouch



IEBP-14

Pliers: 9" Linesman's, 7" Diagonal Cut
7" Chain Nose, 10" Water Pump,
9-1/2" Wire Stripper
8" Plastic Fuse Puller
3" Nut Drivers: 3/16", 1/4", 5/16"
Screwdrivers: 1/8" X 5",
3/16" X 4-1/2", 1/4" X 6" Cabinet Tip
#2 X 4" Phillips Tip
Electrician's Knife with Cap
Belt Pouch



IEBP-14

ITC-8COMM

Pliers: 9" Linesman's, 7" Diagonal Cut, 10" ViceGrip
8" Adjustable Wrench
Screwdrivers: 3/16" X 4-1/2" Cabinet Tip, 5/16" X 6" Mechanics Tip, #2 X 6", #3 X 6" Phillips Tip
Zippered Soft Case 8

ITC-8COMM-FI

ITC-8COMM with
8" Fully Insulated Adjustable Wrench
(replacing 8" Adjustable Wrench)

ITC-9ELK

Pliers: 9" Linesman's, 7" Diagonal Cut, 7" Chain Nose, 9-1/2" Wire Stripper
Screwdrivers: 3/16 X 4 1/2", 3/16" X 6", 1/4" X 6" Cabinet Tip, #1 X 3", #2 X 4" Phillips Tip
Blow Molded Case, Small

ITS-11SC

Pliers: 8" Linesman's, 6" Diagonal Cut, 6" Chain Nose, 7-5/8" Solid Wire Stripper
Screwdrivers: 3/32" X 2", 1/8" X 5", 1/4" X 6", Cabinet Tip, 5/16" X 6" Mechanics Tip, #2 X 6", #3 X 6" Phillips Tip
Snap Closure Case 701

ITS-12B-AES

Pliers: 9" Linesman's, 6" Diagonal Cut, 6" Chain Nose, 8" Slip Joint, 10" Crimper, 10" Water Pump
Screwdrivers: 3/16" X 4-1/2", 1/4" X 6" Cabinet Tip, 1/4" X 4-1/2", 5/16" X 6" Mechanics Tip, #1 X 3", #2 X 4" Phillips Tip
20" Tool Box

ITS-3BK

9" Linesman's Plier
1/4" X 6" Cabinet Tip Screwdriver
#2 X 4" Phillips Tip Screwdriver

ITC-9DIST

Pliers: 9" Linesman's, 7" Diagonal Cut, 10" ViceGrip
Adjustable Wrenches: 8", 12"
Screwdrivers: 3/16" X 6", 3/16" X 8", Cabinet Tip, #2 X 6", #3 X 6" Phillips Tip
Zippered Soft Case 8

ITC-9DIST-FI

ITC-9DIST with
Fully Insulated Adjustable Wrenches: 8", 12"
(replacing Adjustable Wrench: 8", 12")

ITC-9TRANS

Pliers: 9" Linesman's, 10" ViceGrip
Adjustable Wrenches: 8", 12", 15"
Screwdrivers: 3/16" X 6", 3/16" X 8", Cabinet Tip, #2 X 6", #3 X 6" Phillips Tip
Zippered Soft Case 8

ITC-9TRANS-FI

ITC-9TRANS with
Fully Insulated Adjustable Wrenches: 8", 12", 15"
(replacing Adjustable Wrench: 8", 12", 15")



ITS-12B-AES

ITB-15GTR

Pliers: 9" Linesman's, 6" Chain Nose, 7-5/8" Solid Wire Stripper, 10" Crimper
8" Fully Insulated Adjustable Wrench
Plastic Fuse Pullers: 5", 7 1/2"
Screwdrivers: 3/16" X 4-1/2", 3/16" X 6", 1/4" X 6" Cabinet Tip, 5/16" X 6" Mechanics Tip, #1 X 3", #2 X 4" Phillips Tip
Holding Screw Starters: 9-3/4" Slotted, 9-3/4" Phillips
6" LED Mini Mag Lite
Driver Roll Pouch 6
20" Tool Box

ITS-18SCE

Pliers: 8" Diagonal, 8" Chain Nose
"T" Handle Socket Wrenches: 5/8", 1/2"
6" Composite Nut Drivers: 5/16", 3/8", 7/16", 1/2", 9/16"
Composite Screwdrivers: 3/16 X 6", 1/4" X 4-1/2", 5/16" X 6", 3/8" X 6" Cabinet Tip, #2 X 4", Phillips Tip
Composite Holding Screw Starters: 8" Slotted, 8" Phillips
20" Tool Box

ITS-MB410

IR12-LC: 1/2" Square Drive Ratchet
 Extension Bars: 5", 10"
 12-Point SAE Standard Wall Sockets:
 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4",
 Pliers: 9" Linesman's,
 7" Diagonal Cut, 7" Chain Nose
 Screwdrivers: 1/8" X 2", 3/16" X 4-1/2"
 1/4" X 6" Cabinet Tip,
 #1 X 3", #2 X 4" Phillips Tip
 Orange Flashlight
 Blow Molded Case, Large

ITS-MB410



ITS-MB410M

ITS-MB140 with Metric Sockets replacing SAE Sockets
 and w/o Flashlight
 12-Point Metric Standard Wall Sockets:
 8mm, 10mm, 13mm, 14mm, 15mm, 17mm, 19mm

ITB22-GPTK

Pliers: 9" Hardened Linesman's,
 8" Hardened Diagonal, 7" Diagonal
 8" Hardened Diagonal Cut,
 6", 7" Chain Nose,
 8" Needle Nose w/ Wire Stripper
 7-5/8" Solid Wire Stripper
 9" Cable Cutter, 10" Crimping,
 10", 12" Water Pump
 Screwdrivers: 3/16" X 4-1/2",
 3/16" X 6", 3/16" X 8" Cabinet Tip,
 1/4" X 4-1/2", 5/16" X 6",
 3/8 X 10" Mechanics Tip
 #1 X 3", #2 X 4", #3 X 6" Phillips Tip
 9" Insulated Linesman's Knife
 26" Tool Box

ITC22-GPTK

ITB22-GTPK In a Deluxe Tool Case



ZTB-23JM

ZTB-23JM

Pliers: 9" Linesman's,
 8" Diagonal, 8" Chain Nose,
 10" Crimper, 9" Cable Cutter,
 7-5/8" Solid Wire Stripper
 10" Crimping, 10" Water Pump
 Plasti Fuse Puller
 3" SAE Nut Drivers: 3/16", 1/4",
 5/16", 3/8", 7/16", 1/2"
 Cabinet Tip Screwdrivers:
 1/8" X 5", 3/16" X 6", 1/4" X 6"
 Mechanics Tip Screwdrivers:
 5/16" X 6", 3/8" X 8"
 Phillips Tip Screwdrivers:
 #1 X 3", #2 X 6", #3 X 6"
 Electrician's Knife with Cap
 Driver Roll Pouch 12
 Zippered Tool Bag, 11" X 15"

ITS-22GITK

Pliers: 9" Linesman's,
 7" Diagonal Cut, 8" Chain Nose,
 10" Crimper, 9" Cable Cutter,
 9-1/2" Wire Stripper, 10" Water Pump
 6" SAE Nut Drivers: 3/16", 1/4",
 5/16", 3/8", 7/16", 1/2"
 Screwdrivers: 3/16" X 4 1/2"
 3/16" X 6", 1/4" X 6" Cabinet Tip,
 #1 X 3", #2 X 6", #3 X 6" Phillips Tip
 Screwstarters:
 9-3/4" Slotted, 9-3/4" Phillips
 Electrician's Knife with Cap
 20" Tool Box

RATED
 1000 VAC / 1500 VDC Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

General Maintenance Kits

ITS-24B

Pliers: 9" Linesman's,
6" Diagonal, 6" Chain Nose,
10" Crimping, 8" Slip Joint,
10" Water Pump
SAE Long Arm Hex "L" Wrenches:
3/16", 1/4", 5/16", 3/8", 7/16", 1/2"
3" SAE Nut Drivers: 1/4",
5/16", 3/8", 7/16", 1/2"
Cabinet Tip Screwdrivers:
3/16" X 4-1/2", 1/4" X 6"
Mechanics Tip Screwdrivers:
1/4" X 4", 5/16" X 6"
Phillips Tip Screwdrivers:
#1 X 3", #2 X 4"
20" Tool Box



ITS-24B

ITS-MB420



ITB-240MB

30150TW38I: 3/8" Square Drive
Torque Wrench - 30-150 Inch pounds
IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6", 12"
12-Point SAE Deep Wall Sockets:
3/8", 7/16", 1/2", 9/16", 5/8",
11/16", 3/4", 13/16"
10" Water Pump Pliers
SAE Long Arm Hex "L" Wrenches:
3/16", 1/4", 5/16", 3/8"
3" SAE Nut Drivers:
3/8", 7/16", 1/2", 9/16"
Screwdrivers:
1/4" X 6" Cabinet Tip,
#2 X 6" Phillips Tip
20" Tool Box

ITS-MB420

IR12-LC: 1/2" Square Drive Ratchet
Extension Bars: 5"
12-Point SAE Standard Wall Sockets:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
Pliers: 9" Linesman's,
7" Diagonal Cut, 7" Chain Nose
SAE Open End Wrenches:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
Screwdrivers: 1/8" X 2", 3/16 X 4-1/2",
1/4" X 6" Cabinet Tip,
#1 X 3", #2 X 4" Phillips Tip
Orange Flashlight
Blow Molded Case, Large

ITS-MB420-38

ITS-MB420 replacing 1/2" Square Drive
with 3/8" Square Drive:
Ratchet, Extension Bar and Sockets
IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 6"
12-Point SAE Standard Wall Sockets:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

ITS-MB420-IH

IR12-LC: 1/2" Square Drive Ratchet
Extension Bars: 5"
12-Point SAE Standard Wall Sockets:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
6" SAE Hex Bit Sockets:
3/8", 7/16", 1/2", 9/16", 5/8", 3/4"
Pliers: 9" Linesman's,
7" Diagonal Cut, 7" Chain Nose
SAE Open End Wrenches:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
Blow Molded Case, Large

ITS-30B

Pliers:

9" Linesman's, 8" Slip Joint, 8" Chain Nose,
7" Diagonal, 9" Cable Cutter, 10" Crimp,
6" Duck Bill, 10", 12" Water Pump

6" SAE T-Handle Hex Wrenches:

3/16", 1/4", 5/16", 3/8", 7/16", 1/2"

3" SAE Nut Drivers:

3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"

Cabinet Tip Screwdrivers:

3/16" X 4-1/2", 3/16" X 6", 1/4" X 6"

Mechanic's Tip Screwdrivers:

1/4" X 4-1/2", 5/16" X 6", 3/8" X 8"

Phillips Tip Screwdrivers:

#1 X 3", #2 X 4"

20" Tool Box



ITS-30B



ITS-30B-SC

ITS-30B tools in a Soft-Side Carrying Case

ITS-30B-NDXL

ITS-30B replacing 3" with 6" SAE Nut Drivers
20" Tool Box

ITS-30B-MM

ITS-30B replacing SAE with Metric Nut Drivers
and T-Handle Hex Wrenches

6" Metric T-Handle Hex Wrenches:

4mm, 5mm, 6mm, 8mm, 9mm, 10mm

3" Metric Nut Drivers:

4mm, 5mm, 6mm, 8mm, 9mm, 10mm, 12mm



ITS-30B-CA

ITS-30B with an alternate Screwdriver Mix
that includes Robertson Tip Screwdrivers

Cabinet Tip Screwdrivers:

3/16" X 6", 1/4" X 6"

Mechanic's Tip Screwdrivers:

1/4" X 4-1/2", 3/8" X 8"

Phillips Tip Screwdrivers:

#1 X 3", #2 X 4"

Robertson Tip Screwdrivers:

#1 X 3", #2 X 4"



ITS-30B-SC

ITS-30B-C

ITS-30B replacing standard steel with
Composite Screwdrivers and Nut Drivers

6" Composite SAE Nut Drivers:

3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"

Composite Cabinet Tip Screwdrivers:

3/16" X 5", 3/16" X 6", 1/4" X 4-1/2", 1/4" X 6"

Composite Mechanic's Tip Screwdrivers:

5/16" X 6", 3/8" X 8"

Composite Phillips Tip Screwdrivers:

#1 X 3", #2 X 4"



ITS-30MTK

IR38-LC: 3/8" Square Drive Ratchet
 Extension Bars: 3", 6"
 12-Point SAE Deep Wall Sockets: 3/8",
 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
 Pliers: 9" Linesman's,
 7" Diagonal Cut, 7" Chain Nose
 SAE Box End Wrenches: 3/8", 7/16",
 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
 Screwdrivers: 1/8" X 5", 3/16" X 4-1/2",
 1/4" X 6" Cabinet Tip,
 #1 X 3", #2 X 4" Phillips Tip
 Orange Flashlight
 20" Tool Box

ITS-MB430

ITS-30MTK plus 30200TW38I
 3/8" Square Drive Torque Wrench
 30-200 Inch Pounds
 In a Blow Molded Carrying Case

ITS-MB430M

ITS-30MTK with 1/2" Square Drive Torque Wrench,
 Metric Sockets and Box End Wrenches
 150750TW12I: 1/2" Square Drive Torque Wrench
 150-750 Inch Pounds
 IR12-LC: 1/2" Square Drive Ratchet
 Extension Bars: 2", 5"
 12-Point Metric Deep Wall Sockets:
 9mm, 10mm, 12mm, 14mm, 15mm, 19mm, 21mm, 22mm
 Metric Box End Wrenches:
 10mm, 11mm, 12mm, 14mm, 15mm, 16mm, 18mm, 20mm



ITS-MB431

ITS-MB431

30200TW38I: 3/8" Square Drive Torque Wrench
 30-200 Inch Pounds
 IR38-LC: 3/8" Square Drive Ratchet
 Extension Bars: 3", 6"
 12-Point SAE Deep Wall Sockets:
 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
 Pliers: 9" Linesman's,
 7" Diagonal, 7" Chain Nose
 SAE Wratching Box End Wrenches:
 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
 Screwdrivers: 1/8" X 5", 3/16" X 4-1/2",
 1/4" X 6" Cabinet Tip,
 #1 X 3", #2 X 4" Phillips Tip
 Orange Flashlight
 Blow Molded Carrying Case

ITS-MB431M

ITS-MB431 replacing SAE with Metric Sockets
 and Ratching Box End Wrenches
 12-Point Metric Deep Wall Sockets: 10mm,
 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 20mm
 Metric Wratching Box End Wrenches: 10mm,
 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 20mm



ITB-39IMB

30150TW381: 3/8" Square Drive Torque Wrench
30-150 Inch Pounds

IR38-LC: 3/8" Square Drive Ratchet

Extension Bars: 3", 6", 12"

12-Point SAE Deep Wall Sockets:

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

10" Water Pump Pliers

SAE Long Arm Hex "L" Wrenches:

3/16", 1/4", 5/16", 3/8"

SAE Box End Wrenches: 3/8", 7/16",

1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

3" SAE Nut Drivers: 3/16", 1/4",

5/16", 11/32", 3/8", 7/16", 1/2", 9/16"

Screwdrivers: 3/16" X 6",

1/4" X 6" Cabinet Tip,

5/16" X 6" Mechanics Tip,

#1 X 3", #2 X 6" Phillips Tip

20" Tool Box

ITS-40B

ITC-39IMB with 30200TW381:

3/8" Square Drive Torque Wrench

30-200 Inch Pounds

Without 12" Extension Bar

26" Tool Box



ITS-40B

ITC-40-W

30200TW381: 3/8" Square Drive Torque Wrench
30-200 Inch Pounds

IR38-LC: 3/8" Square Drive Ratchet

Extension Bars: 3", 6"

12-Point SAE Deep Wall Sockets:

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

Pliers: 9" Linesman's,

6" Diagonal, 7" Chain Nose,

10" Ratcheting Cable Cutter

SAE Box End Wrenches: 3/8", 7/16",

1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

SAE Open End Wrenches: 3/8", 7/16",

1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

7/16" X 3" Nut Driver

Screwdrivers: 1/8" X 2",

3/16" X 4 1/2", 1/4" X 6" Cabinet Tip,

#1 X 3", #2 X 4" Phillips Tip

Orange Flashlight

Electrician's Knife with Cap

Deluxe Case with Wheels and Laser Cut Foam



ITS-46B

Pliers: 9" Linesman's, 7" Diagonal,

7" Chain Nose, 10" Crimper,

9" Cable Cutter, 9-1/2" Wire Stripper

10" Water Pump

SAE Long Arm Hex "L" Wrenches:

1/16", 5/64", 3/32", 7/64", 9/64", 5/32",

3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2"

SAE Box End Wrenches: 3/8", 7/16",

1/2", 9/16", 5/8", 11/16", 3/4", 13/16",

7/8", 15/16", 1"

6" SAE Nut Drivers: 3/16", 1/4",

5/16", 11/32", 3/8", 7/16", 1/2"

Screwdrivers: 1/8" X 2", 3/16" X 4-1/2",

3/16" X 6", 1/4" X 6" Cabinet Tip,

3/8" X 10" Mechanics Tip,

#2 X 4", #2 X 8" Phillips Tip

Snap Closure Case 501

26" Tool Box



ITS-46B

RATED
1000 VAC / 1500 VDC Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

General Maintenance Kits

ITS-60B/T-DLX



ITS-60B

IR38-LC: 3/8" Square Drive Ratchet

Extension Bars: 3", 6"

12-Point SAE Standard Wall Sockets: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

Pliers: 9" Linesman's,

7" Diagonal, 7" Chain Nose,

10" Crimping, 9" Cable Cutter

9-1/2" Wire Stripper, 10" Water Pump

SAE Long Arm Hex "L" Wrenches:

1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32",

3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2"

SAE Box End Wrenches: 3/8", 7/16", 1/2",

9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

6" SAE Nut Drivers:

3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"

Screwdrivers: 1/8" X 2", 3/16" X 4-1/2",

3/16" X 6", 1/4" X 6" Cabinet Tip,

3/8" X 10" Mechanics Tip,

#2 X 4", #2 X 8" Phillips Tip

Wrench Roll Pouch 11

Snap Case

26" Tool Box

ITS-60B-DLX

ITS-60B with

Wrench Roll Pouch 11

Deluxe Tool Case

ITS-60B-DLX-W

ITS-60B with

Wrench Roll Pouch 11

Deluxe Tool Case with Wheels

ITS-60B/T

ITS-60B plus

30200TW381: 3/8" Square Drive Torque Wrench

30-200 Inch Pounds

ITS-60B/T-DLX

ITS-60B-DLX plus

30200TW381: 3/8" Square Drive Torque Wrench

30-200 Inch Pounds

ITS-60B/T-DLX-W

ITS-60B-DLX-W plus

30200TW381: 3/8" Square Drive Torque Wrench

30-200 Inch Pounds

ITS-60B-IHK

ITS-60B with

SAE T-Handle Hex Wrenches: replacing Hex "L" Wrenches

5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16",

7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8"

SAE Open End Wrenches: replacing Box End Wrenches

3/8", 7/16", 1/2", 9/16", 5/8", 11/16",

3/4", 13/16", 7/8", 15/16", 1"

T-Handle Bag, Long: replacing Snap Case

ITS-60B/T-IHK

ITS-60B-IHK plus

30200TW381: 3/8" Square Drive Torque Wrench

30-200 Inch Pounds

and with

SAE Box End Wrenches: replacing Open End Wrenches

3/8", 7/16", 1/2", 9/16", 5/8", 11/16",

3/4", 13/16", 7/8", 15/16", 1"

ITS-60B-DLX-W-IGW

ITS-60B with

SAE Ratcheting Box End Wrenches: replacing Box End Wrenches

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

Deluxe Tool Case with Wheels: replacing Snap Case and 26" Tool Box



ITS-60B/T-IGW-DLX-W

ITS-60B-DLX-W-IGW plus

30200TW381: 3/8" Square Drive Torque Wrench

30-200 Inch Pounds

Snap Closure Case 501

and without

1/16" SAE Long Arm Hex "L" Wrench

ITS-60B-M

ITS-60B with Metric Sockets,

Long Arm Hex "L" Wrenches,

Box End Wrenches, and Nut Drivers

12-Point Metric Standard Wall Sockets:

8mm, 10mm, 12mm, 13mm, 14mm,

15mm, 16mm, 18mm, 19mm, 22mm

Metric Long Arm Hex "L" Wrenches:

1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm,

7mm, 8mm, 9mm, 10mm, 12mm, 14mm, 17mm

Metric Box End Wrenches: 10mm, 12mm, 13mm,

14mm, 15mm, 17mm, 19mm, 22mm, 24mm, 27mm

6" Metric Nut Drivers:

6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 13mm

ITS-60B/T-MM

ITS-60B-M plus

30200TW381: 3/8" Square Drive Torque Wrench

30-200 Inch Pounds

and with a different mix of Metric

Long Arm Hex "L" Wrenches,

Box End Wrenches, and Nut Drivers

Metric Long Arm Hex "L" Wrenches:

1.5mm, 2mm, 2.5mm, 3mm, 3.5mm, 4mm,

5mm, 5.5mm, 6mm, 8mm, 10mm, 11mm, 12mm

Metric Box End Wrenches: 10mm, 11mm, 12mm, 14mm,

16mm, 17mm, 19mm, 20mm, 22mm, 24mm, 25mm

6" Metric Nut Drivers:

5mm, 6mm, 8mm, 9mm, 10mm, 11mm, 12mm

ITS-60B/T-OEW-DLX-W

ITS-60B/T-IGW-DLX-W with

SAE Open End Wrenches: replacing Ratcheting Box End Wrenches

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

and without

Snap Closure Case 501

ITS-60B/T-DLX-W-MM

ITS-60B/T-MM with

Deluxe Tool Case With Wheels: replacing 26" Tool Box

ITS-60B/T-IGW-MM-DLX-W

ITS-60B/T-DLX-W-MM with

Metric Ratcheting Box End Wrenches: 10mm, 11mm, 12mm,

14mm, 16mm, 17mm, 19mm, 20mm, 22mm, 24mm, 25mm

and without

Snap Closure Case 501



ITS-60B/T-MM



ITS-69B-METRIC



ITS-69B-METRIC

- 30200TW38I: 3/8" Square Drive Torque Wrench**
30-200 Inch Pounds
- IR38-LC: 3/8" Square Drive Ratchet**
Extension Bars: 3", 6", 12"
- 12-Point Metric Standard Wall Sockets:**
8mm, 10mm, 12mm, 13mm, 14mm, 15mm, 16mm, 18mm, 19mm, 22mm
- Pliers:** 9" Linesman's, 6" Diagonal, 6" Chain Nose, Plastic Grip, 9" Cable Cutter, 9-1/2" Wire Stripper, 10" Water Pump
- 10" Adjustable Wrench**
- Metric Long Arm Hex "L" Wrenches:**
1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 12mm, 14mm, 17mm
- Metric Box End Wrenches:**
6mm, 8mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm
- 3" Metric Nut Drivers:**
5mm, 6mm, 8mm, 9mm, 10mm, 11mm, 12mm
- Cabinet Tip Screwdrivers:**
3/16" X 4-1/2", 3/16" X 8", 1/4" X 6"
- Mechanics Tip Screwdrivers:**
5/16" X 6", 3/8" X 8"
- Phillips Tip Screwdrivers:**
#1 X 3", #2 X 4", #2 X 8", #3 X 6"
- 8" Composite Holding Screwstarters:**
Slotted, Phillips
- Electrician's Knife with Cap**
- 2-1/4" Round Inspection Mirror**
- 18" Magnetic Retrieving Tool**
- Wrench Roll Pouch 11**
- 26" Tool Box**

ZTB-62

- 30200TW38I: 3/8" Square Drive Torque Wrench**
30-200 Inch Pounds
- IR38-LC: 3/8" Square Drive Ratchet**
Extension Bars: 3", 6"
- 12-Point SAE Standard Wall Sockets:**
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- 12-Point Metric Standard Wall Sockets:**
10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm
- SAE Open End Wrenches:**
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- Metric Open End Wrenches:**
10mm, 12mm, 13mm, 14mm, 15mm, 16mm, 18mm, 19mm
- SAE Ratcheting Box End Wrenches:**
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- Metric Ratcheting Box End Wrenches:**
9mm, 10mm, 11mm, 12mm
- 6" SAE Nut Drivers:**
3/16", 1/4", 5/16", 3/8", 7/16", 1/2"
- Screwdrivers:** 3/16" X 4-1/2", 3/16" X 6", 1/4" X 6" Cabinet Tip, 5/16" X 6", Mechanics Tip, #1 X 3", #2 X 4" Phillips Tip
- 3 X Wrench Roll Pouch 8**
- Driver Roll Pouch 6**
- Driver Roll Pouch 12**
- Driver Tool Roll 12**
- Zippered Pouch**
- Zippered Tool Bag, 11" X 15"**



ZTB-62

Telecommunications Kits

TCK-101

30200TW381: 3/8" Square Drive Torque Wrench
30-200 Inch Pounds

IR38-LC: 3/8" Square Drive Ratchet
3" Extension Bar

12-Point SAE Standard Wall Sockets:
3/8", 7/16", 1/2", 9/16", 5/8"

Pliers: 9" Linesman's,
8" Slip Joint, 7" Chain Nose

Screwdrivers:
3/16" X 4-1/2", 3/16" X 6" Cabinet Tip,
5/16" X 6", 3/8" X 10" Mechanics Tip,
#2 X 4" Phillips Tip

Zippered Soft Case 16



TCK-101

TCK-101-M

TCK-101 with Metric Sockets replacing SAE Sockets

12-Point Metric Standard Wall Sockets:

10mm, 11mm, 13mm, 14mm, 16mm

Battery Kits

ITS-5BK

30200TW381: 3/8" Square Drive Torque Wrench 30-200 Inch Pounds
6" Extension Bar

12-Point Metric Deep Wall Sockets: 10mm, 13mm

Pliers: 9" Linesman's, 8" Slip Joint, 7" Chain Nose

1/2" Ratcheting Box End Wrench

Zippered Pouch



ITS-5BK

ITB-14BSTK

236TSD140: 1/4" Square Drive Torque Wrench 2-36 Inch Pounds

30150TW141: 1/4" Square Drive Torque Wrench 30-150 Inch Pounds

125TW7161: 7/16" Ratcheting Box End Torque Wrench 125 Inch Pounds

IR14-LC: 1/4" Square Drive Ratchet

6" Extension Bar

6-Point SAE Standard Wall Sockets: 3/8", 7/16"

6-Point SAE Standard Wall Flush Connect Sockets: 5/16", 7/16"

17mm Short Arm Hex "L" Wrench

7/16" Ratcheting Box End Wrench

IVRST-1: Valve Shroud Removal Tool

Zippered Tool Bag, 11" X 15"

ITS-24BTK

30200TW381: 3/8" Square Drive Torque Wrench 30-200 Inch Pounds

IR38-LC: 3/8" Square Drive Ratchet

Extension Bars: 3", 6"

12-Point SAE Sockets:

5/16", 7/16", 1/2", 9/16" Standard Wall

7/16", 1/2", 9/16" Deep Wall

10mm 12-Point Standard Wall Socket

SAE Open End Wrenches: 7/16", 1/2", 9/16"

SAE Ratcheting Box End Wrenches: 7/16", 1/2", 9/16"

10mm Ratcheting Box End Wrench

6" SAE Nut Drivers: 1/4", 5/16"

Screwdrivers:

3/16" X 6" Cabinet Tip,

#2 X 4" Phillips Tip

20" Tool Box



ITS-24BTK

Utility Tool Kits



ITS-9UTK

ITS-9UTK

Pliers: 9" Linesman's, 7" Diagonal, 8" Chain Nose, 10" Crimping
8" Adjustable Wrench
Screwdrivers:
3/16" X 8" Cabinet Tip
1/4" X 4-1/2" Mechanics Tip
#1 X 3", #2 X 8" Phillips Tip
Tools Only

ITS-13-UTK

Pliers: 9" Linesman's, 8" Hardened Diagonal, 8" Angled, 9" Cable Cutter, 10" Water Pump
Mechanics Tip Screwdrivers:
1/4" X 4-1/2", 5/16" X 6", 3/8" X 10"
Phillips Tip Screwdrivers:
#1 X 3", #2 X 4"
9" Insulated Linesman's Knife
20" Tool Box

ITS-13UTK

Pliers: 9" Hardened Linesman's, 8" Hardened Diagonal, 8" Chain Nose, 8" Hardened Diagonal Cut, 9" Cable Cutter, 12" Water Pump
Mechanics Tip Screwdrivers:
1/4" X 4-1/2", 5/16" X 6", 3/8" X 10"
Phillips Tip Screwdrivers:
#1 X 3", #2 X 4", #3 X 6"
9" Insulated Linesman's Knife
Zippered Tool Bag, 11" X 15"



ITS-15LSK

ITS-15LSK

Pliers: 9" Linesman's, 10" Water Pump
30" Bolt Cutters
10" Adjustable Wrench
SAE Ratcheting Box End Wrenches:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"
3/8" X 12" Mechanics Tip Screwdriver
20" Tool Box



ITS-16MTK

Pliers: 9" Linesman's, 8" Diagonal, 8" Chain Nose
Plastic Fuse Puller
3" SAE Nut Drivers: 11/32", 3/8", 1/2"
Cabinet Tip Screwdrivers: 1/8" X 2", 3/16" X 4-1/2", 3/16" X 6", 1/4" X 6"
Phillips Tip Screwdrivers:
#1 X 3", #2 X 4", #3 X 6"
Tool Roll Pouch 11



ITS-16MTK



ITB-22SS

IR38-LC: 3/8" Square Drive Ratchet
 Extension Bars: 3", 6"
 12-Point SAE Standard Wall Sockets:
 3/8", 1/2", 9/16", 5/8", 3/4"
 SAE Box End Wrenches:
 3/8", 1/2", 9/16", 5/8", 3/4"
 SAE Ratcheting Box End Wrenches:
 3/8", 1/2", 9/16", 5/8", 3/4"
 Phillips Tip Screwdrivers:
 #1 X 3", #2 X 6", #3 X 6"
 10" Skinning Knife
 Wrench Roll Pouch 11
 20" Tool Box (Gray)

ITB-30UFB

IR12-LC: 1/2" Square Drive Ratchet
 Extension Bars: 5", 10"
 1/2" Square Drive T-Handle Extension Bar
 12-Point SAE Deep Wall Sockets:
 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"
 Pliers: 9" Linesman's with Crimper,
 10" Crimping, 7" Diagonal, 8" Needle Nose
 Plastic Gripping
 3/16" T-Handled Hex Wrench
 7/8" X 3/4" Bug Wrench
 6" Composite Nut Drivers:
 3/8", 1/2", 9/16", 5/8", 3/4"
 Composite Screwdrivers:
 1/8" X 3", 1/4" X 4-1/2", 1/4" X 6" Cabinet Tip
 #1 X 5" Phillips Tip
 Driver Roll Pouch 12
 20" Tool Box (Gray)

ITB-30UFB-C

IR12-LC: 1/2" Square Drive Ratchet
 Extension Bars: 5", 10"
 1/2" Square Drive T-Handle Extension Bar
 12-Point SAE Deep Wall Sockets:
 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"
 Pliers: 9" Linesman's with Crimper,
 10" Crimping, 7" Diagonal, 8" Needle Nose
 Plastic Gripping
 3/16" T-Handled Hex Wrench
 7/8" X 3/4" Bug Wrench
 6" Composite Nut Drivers:
 3/8", 1/2", 9/16", 5/8", 3/4"
 Composite Screwdrivers:
 1/8" X 3", 1/4" X 4-1/2", 1/4" X 6" Cabinet Tip
 #1 X 5" Phillips Tip
 Driver Roll Pouch 12
 20" Tool Box (Gray)

IPMTK-516

5/16" Hex Drive Torque Wrench 10-80 Foot Pounds
 5/16" Hex Drive Female to 3/8" Square Drive Male Adapter
 5/16" Hex Drive Female to 1/2" Square Drive Male Adapter
 5/16" Hex Drive - 1/2" 12-Point Standard Wall Socket
 *ONLY AVAILABLE AS A COMPLETE KIT

