

Sockets: 3/8" Square Drive

Cementex offers 1000V rated insulated sockets for use with insulated tools including ratchets, torque wrenches, extensions bars, T-Handled square drives, breaker bars, etc.

Cementex's unique coating technique allows the socket to be shaped in a way that the insulation is slimmer at the point of contact with the nut or bolt. This allows Cementex insulated sockets to access equipment where other manufacturer's sockets won't fit.



Size	6 Point 3/8" Square Drive SAE Socket Part Numbers			
	Standard Wall	Standard Wall Flush Connect	Deep Wall	Deep Wall Flush Connect
1/4"	IS38-08 6PT	IS38-08 6PT WO	IS38-08L 6PT	IS38-08L 6PT WO
5/16"	IS38-10 6PT	IS38-10 6PT WO	IS38-10L 6PT	IS38-10L 6PT WO
3/8"	IS38-12 6PT	IS38-12 6PT WO	IS38-12L 6PT	IS38-12L 6PT WO
7/16"	IS38-14 6PT	IS38-14 6PT WO	IS38-14L 6PT	IS38-14L 6PT WO
1/2"	IS38-16 6PT	IS38-16 6PT WO	IS38-16L 6PT	IS38-16L 6PT WO
9/16"	IS38-18 6PT	IS38-18 6PT WO	IS38-18L 6PT	IS38-18L 6PT WO
5/8"	IS38-20 6PT	IS38-20 6PT WO	IS38-20L 6PT	IS38-20L 6PT WO
11/16"	IS38-22 6PT	IS38-22 6PT WO	IS38-22L 6PT	IS38-22L 6PT WO
3/4"	IS38-24 6PT	IS38-24 6PT WO	IS38-24L 6PT	IS38-24L 6PT WO
13/16"	IS38-26 6PT	IS38-26 6PT WO	IS38-26L 6PT	IS38-26L 6PT WO
7/8"	IS38-28 6PT	IS38-28 6PT WO	IS38-28L 6PT	IS38-28L 6PT WO
15/16"	IS38-30 6PT	IS38-30 6PT WO	IS38-30L 6PT	IS38-30L 6PT WO
1"	IS38-32 6PT	IS38-32 6PT WO	IS38-32L 6PT	IS38-32L 6PT WO

Refer to our [Interchangeable Tool Compatibility](#) information to assess/confirm proper compatibility, compliance and coverage.



*****NOTE: 12 Point is the standard product offering for Cementex sockets. Unless otherwise indicated, 12 Point sockets are included in tool kits.*****

Size	12 Point 3/8" Square Drive SAE Socket Part Numbers			
	Standard Wall	Standard Wall Flush Connect	Deep Wall	Deep Wall Flush Connect
1/4"	IS38-08	IS38-08 12PT WO	IS38-08L	IS38-08L 12PT WO
5/16"	IS38-10	IS38-10 12PT WO	IS38-10L	IS38-10L 12PT WO
3/8"	IS38-12	IS38-12 12PT WO	IS38-12L	IS38-12L 12PT WO
7/16"	IS38-14	IS38-14 12PT WO	IS38-14L	IS38-14L 12PT WO
1/2"	IS38-16	IS38-16 12PT WO	IS38-16L	IS38-16L 12PT WO
9/16"	IS38-18	IS38-18 12PT WO	IS38-18L	IS38-18L 12PT WO
5/8"	IS38-20	IS38-20 12PT WO	IS38-20L	IS38-20L 12PT WO
11/16"	IS38-22	IS38-22 12PT WO	IS38-22L	IS38-22L 12PT WO
3/4"	IS38-24	IS38-24 12PT WO	IS38-24L	IS38-24L 12PT WO
13/16"	IS38-26	IS38-26 12PT WO	IS38-26L	IS38-26L 12PT WO
7/8"	IS38-28	IS38-28 12PT WO	IS38-28L	IS38-28L 12PT WO
15/16"	IS38-30	IS38-30 12PT WO	IS38-30L	IS38-30L 12PT WO
1"	IS38-32	IS38-32 12PT WO	IS38-32L	IS38-32L 12PT WO
1-1/16"	IS38-34	IS38-34 12PT WO	IS38-34L	IS38-34L 12PT WO
1-1/8"	IS38-36	IS38-36 12PT WO	IS38-36L	IS38-36L 12PT WO



Cementex double-insulated tools:

- Comply with the IEC 60900 standard
- Comply with ASTM F1505 standard
- Help you meet the requirements of OSHA Safety Related Work Practices, NFPA 70E Standard and CSA-Z462

Cementex double-insulated tools are:

- Tested to 10,000 VAC and rated for 1,000 VAC/1,500DC when working on live parts
- Manufactured in the U.S.A. with both US and globally sourced materials
- Marked with the international safety symbol —  1000V

Size	6 Point 3/8" Square Drive Metric Socket Part Numbers			
	Standard Wall	Standard Wall Flush Connect	Deep Wall	Deep Wall Flush Connect
5mm	IS38-05M 6PT	IS38-05M 6PT WO	IS38-05ML 6PT	IS38-05ML 6PT WO
6mm	IS38-06M 6PT	IS38-06M 6PT WO	IS38-06ML 6PT	IS38-06ML 6PT WO
7mm	IS38-07M 6PT	IS38-07M 6PT WO	IS38-07ML 6PT	IS38-07ML 6PT WO
8mm	IS38-08M 6PT	IS38-08M 6PT WO	IS38-08ML 6PT	IS38-08ML 6PT WO
9mm	IS38-09M 6PT	IS38-09M 6PT WO	IS38-09ML 6PT	IS38-09ML 6PT WO
10mm	IS38-10M 6PT	IS38-10M 6PT WO	IS38-10ML 6PT	IS38-10ML 6PT WO
11mm	IS38-11M 6PT	IS38-11M 6PT WO	IS38-11ML 6PT	IS38-11ML 6PT WO
12mm	IS38-12M 6PT	IS38-12M 6PT WO	IS38-12ML 6PT	IS38-12ML 6PT WO
13mm	IS38-13M 6PT	IS38-13M 6PT WO	IS38-13ML 6PT	IS38-13ML 6PT WO
14mm	IS38-14M 6PT	IS38-14M 6PT WO	IS38-14ML 6PT	IS38-14ML 6PT WO
15mm	IS38-15M 6PT	IS38-15M 6PT WO	IS38-15ML 6PT	IS38-15ML 6PT WO
16mm	IS38-16M 6PT	IS38-16M 6PT WO	IS38-16ML 6PT	IS38-16ML 6PT WO
17mm	IS38-17M 6PT	IS38-17M 6PT WO	IS38-17ML 6PT	IS38-17ML 6PT WO
18mm	IS38-18M 6PT	IS38-18M 6PT WO	IS38-18ML 6PT	IS38-18ML 6PT WO
19mm	IS38-19M 6PT	IS38-19M 6PT WO	IS38-19ML 6PT	IS38-19ML 6PT WO
20mm	IS38-20M 6PT	IS38-20M 6PT WO	IS38-20ML 6PT	IS38-20ML 6PT WO
21mm	IS38-21M 6PT	IS38-21M 6PT WO	IS38-21ML 6PT	IS38-21ML 6PT WO
22mm	IS38-22M 6PT	IS38-22M 6PT WO	IS38-22ML 6PT	IS38-22ML 6PT WO



Size	12 Point 3/8" Square Drive Metric Socket Part Numbers			
	Standard Wall	Standard Wall Flush Connect	Deep Wall	Deep Wall Flush Connect
5mm	IS38-05M	IS38-05M 12PT WO	IS38-05ML	IS38-05ML 12PT WO
6mm	IS38-06M	IS38-06M 12PT WO	IS38-06ML	IS38-06ML 12PT WO
7mm	IS38-07M	IS38-07M 12PT WO	IS38-07ML	IS38-07ML 12PT WO
8mm	IS38-08M	IS38-08M 12PT WO	IS38-08ML	IS38-08ML 12PT WO
9mm	IS38-09M	IS38-09M 12PT WO	IS38-09ML	IS38-09ML 12PT WO
10mm	IS38-10M	IS38-10M 12PT WO	IS38-10ML	IS38-10ML 12PT WO
11mm	IS38-11M	IS38-11M 12PT WO	IS38-11ML	IS38-11ML 12PT WO
12mm	IS38-12M	IS38-12M 12PT WO	IS38-12ML	IS38-12ML 12PT WO
13mm	IS38-13M	IS38-13M 12PT WO	IS38-13ML	IS38-13ML 12PT WO
14mm	IS38-14M	IS38-14M 12PT WO	IS38-14ML	IS38-14ML 12PT WO
15mm	IS38-15M	IS38-15M 12PT WO	IS38-15ML	IS38-15ML 12PT WO
16mm	IS38-16M	IS38-16M 12PT WO	IS38-16ML	IS38-16ML 12PT WO
17mm	IS38-17M	IS38-17M 12PT WO	IS38-17ML	IS38-17ML 12PT WO
18mm	IS38-18M	IS38-18M 12PT WO	IS38-18ML	IS38-18ML 12PT WO
19mm	IS38-19M	IS38-19M 12PT WO	IS38-19ML	IS38-19ML 12PT WO
20mm	IS38-20M	IS38-20M 12PT WO	IS38-20ML	IS38-20ML 12PT WO
21mm	IS38-21M	IS38-21M 12PT WO	IS38-21ML	IS38-21ML 12PT WO
22mm	IS38-22M	IS38-22M 12PT WO	IS38-22ML	IS38-22ML 12PT WO
23mm	IS38-23M	IS38-23M 12PT WO	IS38-23ML	IS38-23ML 12PT WO
24mm	IS38-24M	IS38-24M 12PT WO	IS38-24ML	IS38-24ML 12PT WO
25mm	IS38-25M	IS38-25M 12PT WO	IS38-25ML	IS38-25ML 12PT WO